| AWARD/CONTRACT 1. This Contra Under DPAS | | | | | | Rating DOA4 | Page 1 O |)f 49 | | |
|---|--------------------------------|--|-------------------------|------------|------------------------|--------------------------|------------|--|---------------------------------------|---------|
| 2. Con | tract (Proc. Iı | nst. Ident) No. | | ective Dat | | | | | | |
| W56H2 | V-04-D-0211 | L | | 2 | 2004JUN17 SEE SCHEDULE | | | | | |
| 5. Issu | ed By | | Code | W56HZV | 6. Admi | nistered By | (If Other | r Than Item 5) | Code | SSR01A |
| TACOM | I WARREN E | BLDG 231 | L | | | ISRAEL | | • | | |
| | A-AQ-AHPB | -0C\F74 F00C | | | | CAN EMBASS | Y | | | |
| | | 586)574-7096 I 48397-5000 | | | UNIT | | 7000 | | | |
| | , | | | | APO, A | AE 09830 | -/228 | | | |
| | | ING.TACOM.ARMY.MIL | | | | aan | | 4.0 | D D/F | |
| | | OLLICAR@TACOM.ARMY.MIL | | G | 17: 0 1 | SCD | | | РРТ HQ0339 | |
| | | ss Of Contractor (No. Street, C | ity, County, | State, And | a Zip Coa | e) 8. | . Delivery | | | |
| | M SYSTEMS I STRIAL ZONE | iru. | | | | | | | Below) SEE SC | CHEDULE |
| | AM, IL | | | | | 9. | . Discoun | t For Prompt Payment | | |
| ISRAE | L | | | | | | | | | |
| | | | | | | | | | | |
| TYPE | BUSINESS: F | Foreign Concern/Entity | | | | | | t Invoices Unless Otherwise Specified) | Ite | |
| Code | S3151 | | Facility Co | de | | | - | ldress Shown In: | | 12 |
| | p To/Mark F | or | Code | | 12. Paym | ent Will Be | | | Code | HQ0339 |
| SEE S | CHEDULE | | | | | - COLUMBUS | | | | |
| | | | | | | CO/WEST EN BOX 182381 | | NT OPERATIONS | | |
| | | | | | | BUS, OH 43 | | 1 | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | thority For U 0 U.S.C. 2304 | sing Other Than Full And Operator $O(c)$ 41 U.S.C | _ | n:) | 14. Accou | nting And A | Appropri | ation Data | | |
| 15A | . Item No. | 15B. Schedule Of Sup | plies/Services | | 15C. Qu | antity | 15D. Un | it 15E. Unit Price | 15F. Amo | ount |
| | CHEDULE | CONTRACT TYPE: | | | KIN | D OF CONTE | RACT: | | | |
| | | Firm-Fixed-Price | | | S | upply Cont | racts a | and Priced Orders | | |
| Coi | ntract Expi | ration Date: 2007JUN11 | | | | 15G. T | otal Amo | ount Of Contract | \$0.00 | |
| | | | | 16. Ta | able Of Co | ntents | | | | - |
| (X) | Section | Description | | Page(s) | (X) | Section | 1 | Description | | Page(s) |
| Х | A | Part I - The Schedule Solicitation/Contract Form | | 1 | Х | Part II - C | | clauses act Clauses | | 38 |
| X | B | Supplies or Services and Price | es/Costs | 6 | | | | Oocuments, Exhibits, And O | ther Attachmer | l |
| Х | C | Description/Specs./Work Stat | | 12 | Х | J | | f Attachments | | 49 |
| Х | D | Packaging and Marking | | 15 | | Part IV - | Represen | ntations And Instructions | | |
| Х | E | Inspection and Acceptance | | 17 | | K | Repre | sentations, Certifications, a | nd | |
| Х | F | Deliveries or Performance | | 27 | | | Other | Statements of Offerors | | |
| X | G | Contract Administration Data | ì | 32 | | L | Instrs | ., Conds., and Notices to Of | ferors | |
| X | H | Special Contract Requiremen | | 33 | | M | - | ation Factors for Award | | |
| | 7 | | racting Office | er Will C | | | | | | |
| | | 's Negotiated Agreement (Cor | tractor is copies to | | | ward (Contr on Number | | not required to sign this doc E0703RN315 includ | | |
| | | document and return tractor agrees to furnish and do | | ıs | | | | dditions or changes are set f | ing the addition forth in full abo | |
| _ | | ervices set forth or otherwise id | | | _ | | | s listed above and on any co | | |
| | • | ntion sheets for the consideration | | | | | | act which consists of the fol | 0 | ` ' |
| | | gations of the parties to this con rned by the following document | | 9 | | | | and your offer, and (b) this is necessary. | award/contrac | ct. No |
| - | _ | the solicitation, if any, and (c) s | | ns, | rur ther ev | Jili uctuui u | ocument | is necessary. | | |
| | | tifications, and specifications, a | | ed | | | | | | |
| or inco | | reference herein. (Attachments | are listed | | | | | | | |
| | , | e Of Signer (Type Or Print) | | + | 20A. Nan | ne Of Contra | acting Of | fficer | | |
| | | - · · · · · · · · · · · · · · · · · · · | | | DARY | L F. WITTE | : 0 | | | |
| 10R N | ame of Contr | actor | 19c. Date S | honoi | | ed States Of | | a (586)574-7196 | 20C. Date Si | igned |
| 17D, IV | ame or Coult | act/l | 170. Date S | ngiicu | ZUD. UIII | ea states Of | Amenc | | | Sucu |
| Ву | | | | | Ву | | SIGNED/ | | 2004JUN17 | |
| | ignature of pe | erson authorized to sign) | | | | nature of Co | ntractin | 9 | <u> </u> | |
| NCN 7 | 540-01-157-RC | IAU | | | 25-106 | | | Standard Form 26 (| VOV /1-85) | |

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 2 of 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

SECTION A - SUPPLEMENTAL INFORMATION

| | Regulatory Cite | Title | Date |
|-----|-----------------|---------------------|----------|
| A-1 | 52.204-4850 | ACCEPTANCE APPENDIX | FEB/2002 |
| | (TACOM) | | |

- (a) Contract Number W56HZV-04-D-0211 is awarded to Soltam Systems Ltd. The Government accepts your proposal dated 17 May 04 in response to Solicitation Number: DAAE07-03-R-N315, signed by Jack Yohe, Asst Dir USA of your company.
 - (b) The contractor, in it's proposal, provided the following data for the listed clauses in this contract:

Section E, 52.246-4025, HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT -- TACOM QUALITY SYSTEM REQUIREMENT: ISO 9001

Section E, 52.246-4028, INSPECTION POINT: Soltam Systems Ltd (S3151)

Yokneam Israel

ACCEPTANCE POINT: Destination

FOB POINT: Destination.

Section I, 52.247-4456, GUARANTEED SHIPPING CHARACTERISTICS--F.O.B. DESTINATION:

- (a) The offeror is required to complete subparagraph (b)(1), (2), and (3), of this clause, for each part or component, including all of its packaging. This information will be used by the Government to perform logistics management functions such as providing item sustainment, planning (e.g. estimating storage costs), and redistribution. You are not liable if you give us wrong information, however since the DOD uses this data in-house in existing data bases and because this information may be used in contingency planning it, we request that the information provided be as accurate as possible.
- (b) Definitions of terms commonly used in the packaging and distribution environments are defined in ASTM D996 and should be consulted if any term used herein is in question.
 - (1) Unit Package:
- (i) Specify the type of UNIT PACKAGE for each single unit of issue: A container in direct contact with and enclosing the product along with any required protective materials(s)(e.g. item is wrapped in neutral paper, polyethylene foam cushion wrapped, sealed in a waterproof bag, and placed in a fiberboard box).
 - (ii) Unit Package Exterior Size/Weight of Unit Package with contents:

Length_48_ x Width__48_ x Depth __38.6_(expressed in inches)/Weight expressed in _2400_ pounds

- (2) Shipping Container:
 - (i) Exterior Size of SHIPPING CONTAINER AND CONTENTS THEREIN:

Length, _40"_ x Width, ____ x Height,____ (expressed in feet and inches)

- (ii) Number of unit packages per shipping container ____17___ each (476 wheels)
- (iii) Gross weight of Shipping container and contents $_40,800_$ Lbs.
- (3) Unitized Loads:
 - (i) Is the Load palletized, skidded, or some other platform device used as a base for handling and transporting as a single entity. Yes [] No []; describe: __pallet_.
 - (ii) Number of Shipping containers per pallet/skid __28_ each.
 - (iii) Weight of empty pallet, skid, platform, dolly, other device used as a base for handling and transporting materials __90__ Lbs
 - (iv) Size of Unit Load(pallet/skid including shipping container(s)assembled for handling and transportation as a single entity:

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 3 **of** 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

Length, $_48$ x Width, $_48$ x Height, $_38.6$ (expressed in feet and inches)

(v) Gross Weight of Unit Load _40,800_ Lbs;

Others: None

- (c) Any attachments not included with this document will be provided by TACOM-Warren directly to the administrative contracting officer (ACO) via e-mail. A hard copy of the award will be sent to those ACOs not EDW (Electronic Document Workflow) capable. Technical data packages will be mailed by TACOM-Warren to the ACO on CD-ROM. Within one week of this award, any office not able to obtain these attachments from TACOM's website (http://contracting.tacom.army.mil/) and still requiring a copy, can request it by sending an e-mail message to the buyer listed on the front page of this contract.
- (d) Soltam submitted an offer for both FOB Origin and FOB Destination. The Government chose to award on the basis of FOB Destination.
- (e) Soltam submitted Attachment 0001 to Amendment 0004 which addresses the steel costs associated with the Economic Price Adjustment Provision contained at H-O of this contract. The information contained in this attachment is hereby made a part of this contract.
- (f) Replace the current information at Paragraph (f) under Supplemental Instructions of Clause D-1, 52-211-4515, entitled "Packaging Requirements (Special Packaging Instructions) to read as follows:

The required Special Packaging Instruction (SPI) is Rev E, dated 2-03-97, SPI No. AK13102237 is available on the web at the URL listed below:

https://packaging.tacom.army.mil/phst/SPI/02/21/92.pdf

You must have the adobe viewer installed on your PC to view these images. See TACOM acquisition web page (http://contracting.tacom.army.mil/opportunity.htm), tech data help, for viewer instructions and download.

The information did not change, just the location of the document.

(g) The following Amendment(s) to the solicitation are incorporated into this contract: 0001 thru 0004

[End of Clause]

A-2 52.204-4016 TACOM-WARREN ELECTRONIC CONTRACTING (TACOM)

JUL/2003

- (a) TACOM is now operating in an electronic contracting environment. All TACOM solicitations and awards are now distributed on the TACOM Warren Business Opportunities web page (http://contracting.tacom.army.mil/opportunity.htm) and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web. Please see submission guidelines at http://contracting.tacom.army.mil/userguide.htm and http://contracting.tacom.army.mil/userguide.htm and are no longer available in hard copy. The TDPs and other documents, when available electronically, will be an attachment or linked to the solicitation package on the web. Please see submission guidelines at http://contracting.tacom.army.mil/userguide.htm and are no longer available in hard copy.
- (b) You may need to use special software to view documents that we post on the home page. This viewing software is freeware, available for download at no cost from commercial web sites like Microsoft and Adobe. In cases where such software is required, we provide a link from our page to the commercial site where the software is available. Once you arrive at the software developer's site, follow their instructions to download the free viewer. You then can return to the TACOM home page.
- (c) You are required to submit your offer, bid, or quote electronically. See the provision entitled "Electronic Offers (or 'Quotes' or 'Bids') Required in Response to This Solicitation (or 'Request for Quotations')" for more specific information.
- (d) Any award issued as a result of this solicitation will be distributed electronically. Awards posted on the TACOM Warren Business Opportunities web page represent complete OFFICIAL copies of contract awards and will include the awarded unit price. This is the notice required by Executive Order 12600 (June 23, 1987) of our intention to release unit prices in response to any request under the Freedom of Information Act (FOIA), 5 USC 552. Unit price is defined as the contract price per unit or item purchased as it appears in Section B of the contract and is NOT referring to nor does it include Cost or Pricing data/information. If you object to such release, and you intend on submitting an offer, notify the PCO in writing prior to the closing date identified in this solicitation and include the rationale for your objection consistent with the provisions of FOIA. A release determination will be made based on rationale given.

| COMPINITATION CHEET | Reference No. of Document Being Continue | Page 4 of 49 |
|---------------------|--|--------------|
| CONTINUATION SHEET | PIIN/SIIN W56HZV-04-D-0211 MOD/ | /AMD |

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

(e) If you have questions or need help in using the Acquisition Center Home Page, call our Electronic Contracting Help Desk at (586) 574-7059, or send an email message to: acqcenweb@tacom.army.mil

(f) If you have questions about the content of any specific item posted on our home page, please call the buyer or point of contact listed for the item. Additional help is available to small businesses from Government-funded Electronic Commerce Regional Centers (ECRCs) to implement EDI. Information on ECRC is available at http://www.ecrc.ctc.com

[End of Clause]

A-3 52.204-4232 PUBLIC ACTIVITY INVOLVEMENT (TACOM)

DEC/2002

Subcontract opportunities under this solicitation and any resulting contracts are open to competition between Department of Defense activities and private firms. In addition, Army Industrial Facilities are available to sell manufactured articles or to perform work at such Facilities on behalf of Offerors, in certain circumstances and as permitted by law. Rock Island Arsenal, Watervliet Arsenal, Anniston Army Depot, Sierra Army Depot, and Red River Army Depot have expressed interest in securing subcontracting opportunities under this RFP. For information related to the capabilities of these facilities, and Points of Contact, see www.gsie.army.mil

[End of Notice]

A-4 52.215-4854 PAPERLESS ELECTRONIC RESPONSES REQUIRED IN RESPONSE TO THIS JUL/2002 (TACOM) SOLICITATION/REOUEST

TACOM WILL NOT ACCEPT PAPER OFFERS IN RESPONSE TO THIS SOLICITATION/REQUEST. YOU ARE REQUIRED TO SUBMIT YOUR OFFER, BID, OR QUOTE VIA PAPERLESS ELECTRONIC MEDIA. SEE THE PROVISION ENTITLED "ELECTRONIC OFFERS (OR 'QUOTES' OR 'BIDS') REQUIRED IN RESPONSE TO THIS SOLICITATION (OR 'REQUEST FOR QUOTATIONS')" FOR MORE SPECIFIC INFORMATION.

[End of Clause]

A-5 52.242-4021 NOTICE REGARDING PLACEMENT OF DELIVERY ORDERS AND CONTRACTUAL JUL/1999 (TACOM) ADMINISTRATION

During the term of this contract, authority may be granted to agencies other than TACOM including Defense Supply Center, Defense Logistics Agency ("DSC/DLA"), Richmond, VA for placement of delivery orders under this contract. Administration of this contract may also be transferred to such agencies, including DSC/DLA.

[End of Clause]

AMENDMENT 0001 TO DAAE07-03-R-N315

- 1. The purpose of Amendment 0001 is to delete Clause A-3 entitled "All or None" from the solicitation.
- 2. All other terms and conditions remain the same.

*** END OF NARRATIVE A 001 ***

AMENDMENT 0002 TO DAAE07-03-R-N315

- 1. The purpose of Amendment 0002 is to extend the closing date until 16 Dec 03 @ 1:00 PM.
- 2. All other terms and conditions remain the same.

*** END OF NARRATIVE A 002 ***

| CONTINUATION SHEET | Reference No. of Document Be | Page 5 of 49 | |
|--------------------|------------------------------|--------------|--|
| CONTINUATION SHEET | PHN/SHN W56HZV-04-D-0211 | MOD/AMD | |

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

- 1. The purpose of Amendment 0003 is to do the following:
- a. Add an additional 30 days onto the delivery schedule for FAT Report, Production Quantity for the first delivery schedule and follow-on delivery orders. These changes are reflected in the clauses contained in this amendment.
 - b. Request contractors to hold their prices for 120 days.
- c. Delete Clause D-2 entitled "Heat Treatment and Marking of Wood Packaging Materials" because the information concerning this issue is already included in Clause D-1 entitled "Packaging Requirements (Special Packaging Instructions)".
 - d. Decrease the minimum quantity to 30,000 each.
- e. Extending the closing date until 27 Feb 04 @ 1:00 PM. Response to Amendment 0003 should be sent directly to the buyer via fax number (586) 574-5527 or you can email directly to collicar@tacom.army.mil.
- 2. All other terms and conditions remain the same.

*** END OF NARRATIVE A 003 ***

Amendment 0004 to DAAE07-03-R-N315

- 1. The purpose of Amendment 0004 is to do the following
 - a. Contractors are strongly encouraged to provide prices for both FOB Origin and FOB Destination.
- b. Incorporate an Economic Price Adjustment Provision for the Steel Disc/Rim. Contractors must complete Attachment 01 when they submit their offer
 - c. Guaranteed Shipping Characteristics must be completed for FOB Origin and FOB Destination in this Amendment.
 - d. Extend the closing date to 11 May 04 @ 1:00 PM.
- 2. All other terms and conditions remain the same.

*** END OF NARRATIVE A 004 ***

Reference No. of Document Being Continued PIIN/SIIN $^{W56HZV-04-D-0211}$ MOD/AMD

Page 6 **of** 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

| SECTION B - SUPPLIES OR SERVICES AND PRICES/COSTS | | | |
|---|---|--|--|
| | | | |
| | | | |
| SUPPLIES OR SERVICES AND PRICES/COSTS: | | | |
| IN THE FOUR DIGIT ITEM NUMBERS | | | |
| (CLINS) THAT FOLLOW, THE NUMBERING SYSTEM | | | |
| THAT IS USED IS AS FOLLOWS: | | | |
| THE FIRST THREE DIGITS SIGNIFY ITEM AND | | | |
| THE FOURTH (LAST) DIGIT SIGNIFIES THE | | | |
| APPLICABLE ORDERING YEAR, i.e., CLIN 0011 | | | |
| IS FOR THE FIRST ITEM - FIRST ORDERING YEAR, CLIN 0012 IS FOR THE FIRST ITEM - | | | |
| SECOND ORDERING YEAR, CLIN 0013 IS FOR THE | | | |
| FIRST ITEM - THIRD ORDERING YEAR, ETC. | | | |
| THE FINAL LINE ITEM(S) ASSOCIATED WITH EACH | | | |
| PART, SUCH AS FAT, TECHNICAL MANUALS, SERVICES, | | | |
| OR TRAINING, WILL BECOME THE LAST ITEM NUMBER IN NUMERICAL SEQUENCE FOR EACH ITEM, e.g. | | | |
| 0016 (5 YEAR LONG TERM CONTRACT) OR 0014 | | | |
| (3 YEAR LONG TERM CONTRACT). IF MORE THAN | | | |
| ONE ITEM IS BEING PROCURED, THE NUMBERS WILL | | | |
| BE 0026 OR 0024 DEPENDING ON THE LENGTH OF THE LONG TERM CONTRACT. | | | |
| LONG TERM CONTRACT. | | | |
| THE FOLLOWING DEFINITIONS APPLY TO THE | | | |
| ENTIRE SOLICITATION AND RESULTING CONTRACT: | | | |
| | | | |
| FIRST ORDERING YEAR OF THE CONTRACT IS THE DATE | | | |
| OF AWARD PLUS 364 DAYS. | | | |
| SECOND ORDERING YEAR OF THE CONTRACT IS 365 DAYS THROUGH 729 DAYS AFTER CONTRACT AWARD. | | | |
| THIRD ORDERING YEAR OF THE CONTRACT IS 730 DAYS | | | |
| THROUGH 1,094 DAYS AFTER CONTRACT AWARD. | | | |
| | | | |
| NOTE: THE PRICE APPLICABLE TO AN INDIVIDUAL ORDER IS THE PRICE FOR THE ORDERING YEAR IN | | | |
| WHICH THE ORDER IS ISSUED. THE DELIVERY DATE | | | |
| DOES NOT DETERMINE THE ORDERING YEAR. | | | |
| | | | |
| | | | |
| The information presented below applies to Item No. 0011 Through 0013: | | | |
| | | | |
| Minimum 3 Year Quantity: 30,000 EACH (This will be ordered at the time of the basic | | | |
| contract award. If three awards are made, each | | | |
| contractor will receive an award for 10,000 | | | |
| each. If two awards are made, each contractor | | | |
| will receive an award for 15,000 each. If | | | |
| one award is made, the contractor will receive an award for the entire 30,000 each). | | | |
| | | | |
| Maximum 3 Year Quantity: 177,000 EACH (Inclusive of Option Years, if applicable) | | | |
| | | | |
| | 1 | | |

Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 7 **of** 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

| ITEM NO | SUPPLIES/SERVICES | QUANTITY | UNIT | UNIT PRICE | AMOUNT |
|---------|--|----------|------|--------------|--------|
| | ONLY THE MINIMUM 3 YEAR QUANTITY IS | | | | |
| | GUARANTEED. | | | | |
| | NOTE: EACH ORDERING YEAR ESTIMATE, AS WELL | | | | |
| | AS EACH OPTION YEAR ESTIMATE, IF APPLICABLE, IS A 12 MONTH AVERAGE MONTHLY DEMAND WITH | | | | |
| | PROGRAM FACTORS BUILT IN AND A 50% INCREASE PER YEAR. | | | | |
| | THIS BUY IS CROSS REFERENCED TO | | | | |
| | PRON: EH34R191EH (For Internal Purposes Only). | | | | |
| | (FOI INCEINAL PULPOSES ONLY). | | | | |
| | UP TO THREE AWARD MAY RESULT FROM THIS BUY. | | | | |
| | CONTRACTOR(S) WILL BE PROVIDED A FAIR OPPORTUNITY TO COMPETE FOR DELIVERY ORDERS | | | | |
| | PURSUANT TO THE "ORDERING FOR MULTIPLE | | | | |
| | AWARDS" CONTAINED IN SECTION H. | | | | |
| | | | | | |
| | (End of narrative A001) | | | | |
| 0011 | FINAL ODDEDLING VIEW | | | 140 60000 | |
| 0011 | FIRST ORDERING YEAR | | EA | \$ 140.60000 | |
| | NSN: 2530-01-310-2237 | | | | |
| | NOUN: WHEEL, SOLID RUBBER | | | | |
| | FSCM: 19207 PART NR: 12358464 | | | | |
| | SECURITY CLASS: Unclassified | | | | |
| | | | | | |
| | Description/Specs./Work Statement | | | | |
| | TOP DRAWING NR: TDP 12358464 DATE: 29-APR-2003 | | | | |
| | DAIE. 29-APR-2005 | | | | |
| | Packaging and Marking | | | | |
| | PACKAGING/PACKING/SPECIFICATIONS: | | | | |
| | SEE PACKAGING CLAUSE IN SECTION D LEVEL PRESERVATION: Military | | | | |
| | LEVEL PACKING: A | | | | |
| | Inspection and Acceptance | | | | |
| | INSPECTION: Origin ACCEPTANCE: Destination | | | | |
| | FOB: Destination | | | | |
| | (End of narrative F001) | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-D-0211 MOD/AMD

Page 8 **of** 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD

| SUPPLIES/SERVICES | QUANTITY | UNIT | UNIT PRICE | AMOUNT |
|---|--|--|--|---|
| SECOND ORDERING YEAR | | EA | \$ 142.71000 | |
| NSN: 2530-01-310-2237 NOUN: WHEEL, SOLID RUBBER FSCM: 19207 PART NR: 12358464 SECURITY CLASS: Unclassified | | | | |
| Description/Specs./Work Statement TOP DRAWING NR: TDP 12358464 DATE: 29-APR-2003 | | | | |
| Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING CLAUSE IN SECTION D LEVEL PRESERVATION: Military LEVEL PACKING: A | | | | |
| Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Destination | | | | |
| FOB: Destination (End of narrative F001) | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | SECOND ORDERING YEAR NSN: 2530-01-310-2237 NOUN: WHEEL, SOLID RUBBER FSCM: 19207 PART NR: 12358464 SECURITY CLASS: Unclassified Description/Specs./Work Statement TOP DRAWING NR: TDP 12358464 DATE: 29-APR-2003 Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING CLAUSE IN SECTION D LEVEL PRESERVATION: Military LEVEL PACKING: A Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Destination FOB: Destination | SECOND ORDERING YEAR NSN: 2530-01-310-2237 NOUN: WHEEL, SOLID RUBBER FSCM: 19207 PART NR: 12358464 SECURITY CLASS: Unclassified Description/Specs./Work Statement TOP DRAWING NR: TDP 12358464 DATE: 29-APR-2003 Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING CLAUSE IN SECTION D LEVEL PRESERVATION: Military LEVEL PACKING: A Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Destination FOB: Destination | SECOND ORDERING YEAR NSN: 2530-01-310-2237 NOUN: WHEEL, SOLID RUBBER FSCM: 19207 PART NR: 12358464 SECURITY CLASS: Unclassified Description/Specs./Work Statement TOP DRAWING NR: TDP 12358464 DATE: 29-APR-2003 Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING CLAUSE IN SECTION D LEVEL PRESERVATION: Military LEVEL PACKING: A Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Destination FOB: Destination | SECOND ORDERING YEAR NSN: 2530-01-310-2237 NOUN: WHEEL, SOLID RUBBER FSCM: 19207 PART NR: 12358464 SECURITY CLASS: Unclassified Description/Specs./Work Statement TOP DRAWING NR: TDP 12358464 DATE: 29-APR-2003 Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING CLAUSE IN SECTION D LEVEL PRESERVATION: Military LEVEL PACKING: A Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Destination FOB: Destination |

Reference No. of Document Being Continued PIIN/SIIN $^{\text{W56HzV-04-D-0211}}$ MOD/AMD

Page 9 **of** 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

| ITEM NO | SUPPLIES/SERVICES | QUANTITY | UNIT | UNIT PRICE | AMOUNT |
|---------|---|----------|------|--------------|--------|
| 0013 | THIRD ORDERING YEAR | | EA | \$ 144.85000 | |
| | NSN: 2530-01-310-2237 NOUN: WHEEL, SOLID RUBBER FSCM: 19207 PART NR: 12358464 SECURITY CLASS: Unclassified | | | | |
| | Description/Specs./Work Statement TOP DRAWING NR: TDP 12358464 DATE: 29-APR-2003 | | | | |
| | Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING CLAUSE IN SECTION D LEVEL PRESERVATION: Military LEVEL PACKING: A | | | | |
| | Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Destination | | | | |
| | FOB: Destination (End of narrative F001) | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Reference No. of Document Being Continued PIIN/SIIN $^{\text{W56HzV-04-D-0211}}$ MOD/AMD

Page 10 of 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

| ITEM NO | SUPPLIES/SERVICES | QUANTITY | UNIT | UNIT PRICE | AMOUNT |
|---------|---------------------------------------|----------|------|----------------|--------|
| | | | | | |
| 0014 | FIRST ARTICLE TEST-SEPARATELY PRICED | 1 | EA | \$ 1,000.00000 | |
| | | | | | |
| | NSN: 2530-01-310-2237 | | | | |
| | NOUN: FIRST ARTICLE TEST REPORT | | | | |
| | SECURITY CLASS: Unclassified | | | | |
| | | | | | |
| | | | | | |
| | Packaging and Marking | | | | |
| | | | | | |
| | Inspection and Acceptance | | | | |
| | INSPECTION: Origin ACCEPTANCE: Origin | | | | |
| | FOB POINT: Destination | | | | |
| | FOR POINT DESCRIPTION | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| CONTINUATION SHEET | | Reference No. of Document Be | Page 11 of 49 | | | | |
|--------------------|--|------------------------------|---------------|----------|--|--|--|
| | | PHN/SHN W56HZV-04-D-0211 | MOD/AMD | | | | |
| Name of Of | Name of Offeror or Contractor: SOLTAM SYSTEMS LTD. | | | | | | |
| | Regulatory Cite | Title | | Date | | | |
| B-1 | 52.247-4457 LONG TERM (TACOM) | CONTRACTS - FOB DESTINATION | | OCT/1999 | | | |

For the purpose of offerors compiling FOB Destination offers, the final destination for the supplies will be one or more of the following destinations; in the following estimated percentages, if listed: 80% to New Cumberland Army Depot and 20% to Sharpe Army Depot.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 12 of 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

SECTION C - DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

| Regulatory Cite | | Title | Date |
|-----------------|--------------------|-----------------------|------------|
| | | | |
| EO 011 401E | CONTRACTOR CONTROL | THAT WEED THE GUNNARD | TTTT /0000 |

(TACOM)

52.211-4015 CONFIGURATION CONTROL - ENGINEERING CHANGES

JUL/2002

(a) DEFINITIONS:

C-1

- (1) Engineering Change Proposal (ECP). An ECP is a suggestion that we (the Government) permanently change some requirement of the Technical Data Package (TDP). ECPs can be issued before or during contract performance. NOTE: The current Government Standard allows us ninety days to process routine ECPs. If you (the contractor) need a response in less than ninety days to meet contract requirements, you should consider submitting a deviation along with your ECP.
- (2) Request for Deviation (RFD). A RFD is a one-time request to deviate from TDP requirements. You must submit your deviation request before you deviate from the TDP requirements. You can request a deviation for a specific number of parts or the entire contract quantity.
 - (3) Value Engineering Change Proposal (VECP). A proposal that --
 - (i) Requires a change to the instant contract; and
- (ii) Results in reducing the overall projected cost to the agency without impairing essential functions or characteristics; provided, that it does not involve a change --
 - (A) In deliverable end item quantities only;
 - (B) In research and development (R&D) end items or R&D test quantities that is due solely to results of previous testing under this contract; or
 - (C) To the contract type only.
 - (4) Notice of Revision (NOR). A NOR describes the proposed changes to a technical document being requested by an ECP.
- (b) When will TACOM start processing change requests? TACOM won't start processing any ECP, VECP, or RFD until we receive the ACO's comments (see paragraph (e) below) and the ECP, VECP, or RFD documentation.
- (c) Contractor Responsibility. ECPs, VECPs, and RFD shall contain information per the instructions outlined on the Data Delivery Descriptions (DDDs) which can be found at the following website: http://contracting.tacom.army.mil/engr/engrchange.htm. Forms for preparing an ECP, VECP, or a RFD can also be found at this website. You may use other media, as long as you give us all the information outlined in the DDDs.
 - (1) Identify the two-digit Weapon System Code (WSC) on your submittal. The WSC for this procurement is (MM).
- (2) The Contractor shall submit ECPs/VECPs/RFDs to the Government electronically. You must use one of the following electronic mediums: 100 megabyte Zip*-disk, 3 1/2 inch disk, 650 megabyte CD ROM, or E-mail. (E-mail files must be sized 3.5 mb or less.) Identify the software application, and version, that you used to create each file submitted.
- (3) ECPs/VECPs/RFDs submitted in paper form are unacceptable and will be returned. You must use one of the following electronic formats:
- (i) Files readable using these Microsoft 97 Office Products: Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a file format that includes all formulae, macro and format information. Print image is not acceptable.
 - (ii) Files in Adobe PDF (Portable Document Format).
- (iii) Files in HTML (Hypertext Markup Language). HTML documents must not contain active links to live Internet sites or pages. All linked information must be contained within your electronic ECPs/VECPs/RFDs and be accessible offline.
- (iv) Other electronic formats. Before preparing your ECPs, VECPs or RFDs in any other electronic format, please e-mail the engineer, copy-furnished to the buyer and ACO, to obtain a decision as to the format's acceptability. Failure to e-mail the engineer to seek an alternate format's acceptability may result in rejection of your submission. All alternate methods must be at no cost to the Government. NOTE: The above formats may be submitted in compressed form using self-extracting files.
 - (d) Submittal Procedures for ECPs/VECPs/RFDs.

CONTINUATION SHEET Reference No. of Document Being Continued

MOD/AMD

Page 13 of 49

PIIN/SIIN W56HZV-04-D-0211

- (1) Send one copy of the ECP, VECP or RFD in electronic format to your ACO.
- (2) Send one copy of the ECP, VECP or RFD in electronic format to the buyer listed on the solicitation/ contract document.

WARNING - Submit complete, legible, virus free packages per paragraphs 1 and 2 above, or we may return your ECP/VECP/RFD without processing them.

(e) ACO Responsibility. Within ten working days from the day you receive the contractor's request, the ACO must prepare Comments on the ECP, VECP, or RFD in electronic format, and forward it as follows:

ECPs, VECPs, and RFDs. Email a copy of the contractor's request and ACO comments (DD Form 1998) to the engineer (khatiwk@tacom.army.mil) and the buyer identified in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

(f) Approval of ECPs, VECPs and RFDs.

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

- (1) ECPs should be used to make permanent changes in the Government Technical Data Package (TDP). Contractual relief should be requested using a Request for Deviation. This is because the Government requires more time to analyze any proposal to permanently change the specification or TDP. Cost saving improvements to the TDP should be submitted as a VECP, if a VE clause is contained in the contract.
- (2) ECPs. TACOM will review and make a decision within the ninety day timeframe. Notification of our decision will be made by the contracting officer or representative.
 - (3) RFDs. Decision on RFDs will be made within 30 days from the date we receive them from the ACO.
- (g) Processing Emergency and Urgent ECPs. Ordinarily, ECPs submitted by the contractor will be deemed routine. If you submit an ECP that you consider to be an emergency or urgent (as defined in paragraph 11 of DDD for ECPs), you must immediately notify the PCO. TACOM will review the criticality of the ECP, and, if we determine that it is urgent or critical, we'll follow the appropriate processing time-frames as outlined in paragraph 11 of the DDD for ECPs.
- (h) Reminder Only the PCO can change the Contract. NO OTHER GOVERNMENT REPRESENTATIVE is authorized to make a commitment for, or bind the Government.
 - (i) RFDs shall contain sufficient pricing data to determine if a downward equitable adjustment to the contract is required.
 - (j) Questions.
- (1) Questions about preparation and submittal of change request should be directed to the Government Quality Assurance Representative (QAR).
- (2) Questions about the status of change requests you've already submitted, contact the buyer. You can find the buyer's name, number and e-mail address in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

[End of Clause]

C-2 52.211-4053 REQUIRED TAILORING LANGUAGE TO ELIMINATE CLASS I OZONE-DEPLETING MAR/2000 (TACOM) SUBSTANCES (CIODS)

- (a) The purchase description or Technical Data Package (TDP) for this contract incorporates one or more specifications or standards that, in their unmodified form, either authorize or require the use of Class I Ozone-Depleting Substances (CIODS). For purposes of your performance on this contract, those specifications (which are identified in paragraph (b) of this clause) are modified by special tailoring language which appears in the TACOM Acquisition Center's web-site. Directions for reaching our web-site and locating the required tailoring language appear in paragraph (c) of this clause.
- (b) Tailoring language to eliminate the authorization or requirement to use Class I Ozone-Depleting Substances (CIODS) is hereby incorporated into this contract by reference. Packaging Specifications MIL-L-61002 and MIL-STD-129, where they apply, are affected by this tailoring language. Other specifications and standards affected are: NONE.
- (c) The CIODS listing that contains the required tailoring language is on the TACOM Acquisition Center web-site, which you can reach by using this URL: http://contracting.tacom.army.mil/ciods.html

| CONTINUATION SHEET | Reference No. of Document Bo | Page 14 of 49 | | | |
|--------------------------------|------------------------------|---------------|--|--|--|
| CONTINUATION SHEET | PHN/SHN W56HZV-04-D-0211 | MOD/AMD | | | |
| Nome of Offeren or Contractors | | | | | |

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

C-3 52.246-4053 USE OF MIL-STD 1916 JAN/2001 (TACOM)

The Government will not accept lots whose samples submitted for acceptance contain nonconformances unless appropriately documented and approved by the contracting officer. The contractor shall use MIL-STD-1916, DOD Preferred Methods of Acceptance of Product. The Verification Level (VL) shall be VL IV for major characteristics and VL II for minor characteristics. MIL-HDBK-1916 provides guidance on the use of MIL-STD 1916. This handbook is not contractually binding.

[End of Clause]

C-4 52.211-4008 DRAWING LIMITATIONS NOV/2002 (TACOM)

- (a) The drawings supplied with this contract are <u>not</u> shop or process drawings. They are engineering design drawings. They are adequate to permit manufacture, and:
 - (1) depict the completed (item(s), and
 - (2) serve as the basis for inspection of the completed item(s).
- (b) These drawings DON'T cover intermediate drawings/specifications or steps in the manufacturing process. As a result, even if you meet all the dimensions and tolerances specified in the engineering design drawing for each individual part, a cumulative unacceptable fit for the contract item could result.
- (c) YOU ARE RESPONSIBLE for producing the shop or process drawings needed to cover intermediate steps in the manufacturing process.
- (d) The Contractor agrees that he has obtained all specifications and drawings necessary to manufacture the items being solicited in accordance with the TDP including all incorporated specifications and drawings. The contractor is responsible for having all drawings and specifications. Delivery delays are not excusable where the contractor asserts that it did not have a specification or drawing and has failed to request, in writing, the specification from either the Contracting Officer or Contract Specialist prior to the solicitation closing date.
- (e) If you fail to produce an end item with a cumulative fit that conforms to Government drawings, specifications or other supplemental manufacturing documentation, you'll be responsible for correcting this condition at no additional cost to the Government and no delivery schedule extension.

[End of Clause]

C-5 52.211-4021 WELDING SYMBOLS - CLARIFICATION OF GROOVE WELDING SYMBOL APR/1995 (TACOM)

You must interpret welding symbols in accordance with AWS A2.4, except in the case of groove welds. In the case of groove welds, if the drawing doesn't specify an effective throat and/or weld size, interpret the dimension to the left of the groove welding symbol to mean both depth of preparation and effective throat/weld size.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 15 **of** 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

SECTION D - PACKAGING AND MARKING

| | Regulatory Cite | | Tit | tle | | Date |
|---|-----------------|------------------------|--------------|---------|---------------|----------|
| 1 | 52.211-4515 | PACKAGING REQUIREMENTS | (SPECIAL PAG | CKAGING | INSTRUCTIONS) | JUN/2004 |
| | (TACOM) | | | | | |

- (a) Military preservation, packing, and marking for this contract shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of, MIL-STD-2073-1, Revision D, Dated 15 Dec 1999 and Notice 1, dated 10 May 2002, and the Packaging Documentation contained in the TDP.
 - (1) LEVEL OF PRESERVATION: Military
 - (2) LEVEL OF PACKING: A
 - (3) QUANTITY PER UNIT PACKAGE: 001
- (b) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage
 - (c) Marking:
- (1) In addition to any special markings called out on the SPI, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Dated 15 Dec 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.
- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston).
- (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".
- (4) Military Shipping Label: Military Shipment Labels may be created using the Computer Automated Transportation Tool Military Shipment Label/Issue Receipt Release Document (CATT MSL/IRRD). See the web site: http://www.asset-trak.com/catt/catt.htm. The software may be downloaded at: http://www.asset-trak.com/catt/msl_irrd/msl_irrddownload.htm. Be sure to bookmark this page for future releases of CATT MSL/IRRD.
- (d) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.
- (e) This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to

| CONTINUATION | SHEET |
|--------------|-------|
| COLLECTION | |

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211 MOD/AMD

Page 16 of 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

PCO and ACO. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.

(f) SUPPLEMENTAL INSTRUCTIONS: The required Special Packaging Instruction(SPI) is Rev E, dated 2-03-97, SPI NO.AK13102237 is available on the web at the URLs listed below.

https://www-tdps.tacom.army.mil//SPI/02/21/92.c4 https://www-tdps.tacom.army.mil//SPI/02/21/93.c4

You must have the IMAGER viewer installed on your PC to view these images, see TACOM acquisition web page(http://contracting.tacom.army.mil/opportunity.htm), tech data help, for viewer instructions and download.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 17 of 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

SECTION E - INSPECTION AND ACCEPTANCE

E-0 INSPECTION AND ACCEPTANCE (QUALITY ASSURANCE REQUIREMENT)

In addition to inspection requirements specified in applicable drawings and/or specifications, the following provisions shall apply to this contract:

- (1) FIRST ARTICLE APPROVAL-CONTRACTOR TESTING: First Article Approval-Contractor Testing shall be performed in accordance with QS 12358464.
- (2) For the purpose of clarification of this document, the terminology "First Article" shall replace "INITIAL PRODUCTION INSPECTION" in all applicable specifications and/or drawings referenced herein.
- (3) The First Article Test Report (FATR) shall be compiled by the contractor to the contractor's own format. The FATR shall document the results of all inspections and tests (including supplier's and vendor's inspection records and certifications, when applicable). The FATR shall include actual inspections and test results to include all measurements, recorded test data, and certifications (if applicable) keyed to each drawing, specification and Quality Assurance Provision (QAP) requirement and identified by each individual QAP characteristic, drawing/specification characteristic and unlisted characteristic. The FATR shall contain sufficient narrative content, technical data, illustrations or photographic evidence, and an objective determination by the contractor to allow the designated Government representative to determine that the First Article Test was successfully completed.

[End of Provision]

*** END OF NARRATIVE E 001 ***

| | Regulatory Cite | | Date |
|-----|-----------------|--|----------|
| E-1 | 52.246-2 | INSPECTION OF SUPPLIESFIXED-PRICE | AUG/1996 |
| E-2 | 52.246-16 | RESPONSIBILITY FOR SUPPLIES | APR/1984 |
| | | | |
| E-3 | 52.209-3 | FIRST ARTICLE APPROVALCONTRACTOR TESTING (ALTERNATE I (JAN 1997) | SEP/1989 |
| | | AND ALTERNATE II (SEP 1989)) | |

- (a) The Contractor shall test 14 unit(s) of Contract Line Item 0011 as specified in this contract. At least 20 calendar days before the beginning of first article tests, the Contractor shall notify the Contracting Officer, in writing, of the time and location of the testing so that the Government may witness the tests.
- (b) The Contractor shall submit the first article test report within 240 calendar days from the date of this contract or as otherwise proposed by the contractor and accepted by the Government, to:

Administrative Contracting Officer

| Marked | FIRST | ARTICLE | TEST | REPORT: | Contract No. | ; Contract Line Item Number . |
|--------|-------|---------|------|---------|--------------|-------------------------------|
| | | | | | | |

Within 30 calendar days after the Government receives the test report, the Contracting Officer shall notify the Contractor, in writing, of the conditional approval, approval, or disapproval of the first article. The notice of conditional approval or approval shall not relieve the Contractor from complying with all requirements of the specifications and all other terms and conditions of this contract. A notice of conditional approval shall state any further action required of the Contractor. A notice of disapproval shall cite reasons for the disapproval.

- (c) If the first article is disapproved, the Contractor, upon Government request, shall repeat any or all first article tests. After each request for additional tests, the Contractor shall make any necessary changes, modifications, or repairs to the first article or select another first article for testing. All costs related to these tests are to be borne by the Contractor, including any and all costs for additional tests following a disapproval. The Contractor shall then conduct the tests and deliver another report to the Government under the terms and conditions and within the time specified by the Government. The Government shall take action on this report within the time specified in paragraph (b) above. The Government reserves the right to require an equitable adjustment of the contract price for any extension of the delivery schedule, or for any additional costs to the Government related to these tests.
- (d) If the Contractor fails to deliver any first article report on time, or the Contracting Officer disapproves any first article, the Contractor shall be deemed to have failed to make delivery within the meaning of the DEFAULT clause of this contract.
- (e) Unless otherwise provided in the contract, and if the approved first article is not consumed or destroyed in testing, the Contractor may deliver the approved first article as part of the contract quantity if it meets all contract requirements for acceptance.
 - (f) If the Government does not act within the time specified in paragraph (b) or (c) above, the Contracting Officer shall, upon

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 18 of 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

timely written request from the Contractor, equitably adjust under the CHANGES clause of this contract the delivery or performance dates and/or the contract price, and any other contractual term affected by the delay.

- (g) Before first article approval, the Contracting Officer may, by written authorization, authorize the Contractor to acquire specific materials or components or to commence production to the extent essential to meet the delivery schedules. Until first article approval is granted, only costs for the first article and costs incurred under this authorization are allocable to this contract for (1) progress payments, or (2) termination settlements if the contract is terminated for the convenience of the Government. If first article tests reveal deviations from contract requirements, the Contractor shall, at the location designated by the Government, make the required changes or replace all items produced under this contract at no change in the contract price.
- (h) The Government may waive the requirement for first article approval test where supplies identical or similar to those called for in the schedule have been previously furnished by the offeror/contractor and have been accepted by the Government. The offeror/contractor may request a waive.
 - (i) The Contractor shall produce both the first article and the production quantity at the same facility.

[End of Clause]

TACOM ADDENDUM:

For purposes of this contract, interpret Paragraph (g) above to mean that the PCO hereby authorizes you to purchase <u>all</u> material and components necessary to produce the production quantity.

[End of Addendum]

E-4 52.209-4000 (TACOM)

NOTICE REGARDING FIRST ARTICLE TEST SAMPLE

MAR/2000

- (a) The approved first article items, as described elsewhere in this contract, consist of a quantity of 13 that will be consumed or destroyed in testing. Any items consumed or destroyed in testing shall not be delivered as part of the contractually required quantity as set forth in the schedule. The cost of any items that are consumed or destroyed shall be included in the overall offer or contract price. A quantity of 1 that successfully passes all specified tests, less the destructive tests, if any, SHALL serve as a manufacturing standard for the remainder of the contract.
- (b) A manufacturing standard is an item, which conforms to all technical performance requirements. A manufacturing standard will serve as 1) an aid in identifying configuration changes not controlled by the contractual design. 2) as an aid in identifying any process changes, or 3) as the approved workmanship sample, when required, unless alternate samples are submitted for specific characteristics by the Contractor and approved by the Government.
- (c) The manufacturing standard will only be used to supplement contractual acceptance/rejection criteria for those process characteristics that require approved workmanship samples. For other characteristics, if configuration or process changes are identified in production units, the contractor will notify the contracting officer for disposition. Manufacturing items that serve as a manufacturing standard may be delivered as part of the contractual quantity with the last shipment made under this contract provided it meets all contractual requirements existing at time of delivery.

[End of Clause]

E-5 52.242-4008 (TACOM)

ROUTING OF SPECIAL PROCESS APPROVALS

AUG/1994

- (a) Specification MIL-STD-1261 and TT-C-490, which is part of the technical data package for this contract, may require you to get approval from us prior to production for one or more special processes involved in producing this item. You are required to get prior approval unless the specification says otherwise.
- (b) You will prepare the written procedures as the specification requires. You will then route the procedure through the Administrative Contracting Officer (ACO) for review and comment. Once you get the procedure back from the ACO, you will then forward it to the Procuring Contracting Officer (PCO) at TACOM for final approval. The correct address for the PCO is on the face page of this contract.
- (c) You will cite (i) the contract number and (ii) the governing specification or standard on all procedures you submit for approval.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 19 of 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

[End of Clause]

E-6 52.209-4012

09-4012 NOTICE REGARDING FIRST ARTICLE

APR/2000

- (TACOM)
- (a) Notwithstanding the provisions for waiver of first article, an additional first article sample (or portion thereof) may be ordered by the Contracting Officer in writing when (i) a major change is made to the technical data, (ii) whenever there is a lapse in production for a period in excess of one year, or (iii) whenever a change occurs in place of performance, manufacturing process, material used, drawing, specification or source of supply.
- (b) When any of the conditions above occurs, the Contractor shall notify the Contracting Officer so that a determination can be made concerning the need for the additional first article sample (or portion thereof), and instructions can be provided concerning the submission, inspection, and notification of results.
- (c) Costs of any additional testing and inspection resulting from conditions specified above shall be borne by the Contractor, unless the change was directed by the Government. Further, any production delays caused by additional testing and inspection will not be the basis for an excusable delay as defined in the default clause of this contract. Such delays shall not form the basis for adjustment in contract price or delivery schedule.

[End of Clause]

E-7 52.211-4016

CARC PAINT-PRETREATMENT REQUIREMENTS FOR FERROUS AND GALVANIZED

SEP/2002

(TACOM) SURFACES

(a) Ferrous and galvanized surfaces shall be cleaned and pretreated with a Type 1, microcrystalline, zinc phosphate system per TT-C-490. Alternate pretreatment systems for ferrous substances must meet the performance tests specified in paragraphs 3.5.7, 3.5.8, 4.2.7, and 4.2.8 of TT-C-490. Corrosion resistance tests will be conducted on a monthly basis (two test coupons) after the process has been found to be in statistical control. Process control tests for alternative systems must ensure that the process remains in control and must be documented and approved by TACOM. Testing must be performed on the same substrate and the same thickness of primer minus topcoat used in production. Unless otherwise specified, MIL-P-53022 and -53030 primers shall be salt spray tested for 336 hours. All electrocoat primers shall be tested for 1000 hours. Test coupons shall be scrapped with a one inch (approximate) metal blade such as a putty knife between 24 and 168 hours after removal from the neutral salt spray cabinet for coupon evaluation. Any inorganic crystalline pretreatment is limited to a maximum build equivalent of 500 mg. per square foot to minimize chipping of the CARC system. All TT-C-490, zinc phosphate pretreatment systems must be documented and approved by the procuring activity prior to use. The procedure containing all the elements specified in paragraph 3.2 of TT-C-490 shall be submitted to the procuring activity no less than 45 days prior to use. Qualification will consist of verification that the process with its controls can meet the performance requirements in the specification. The performance of alternate systems must be demonstrated and approved by the procuring activity. If the TT-C-490 Type 1 system has not been previously approved by TACOM, it must be documented and submitted for approval as specified in the specification. Zinc phosphate systems for galvanized substrates require separate qualification. A list of TACOM approved facilities is available at http://contracting.tacom.army.mil/engr/eng.htm . These facilities are capable of meeting the performance requirements in the specification.

A list of previously qualified zinc phosphate application facilities is available from TACOM, Materials Engineering Team, (810) 574-5083. Requalification of the process will be required if the process is changed outside the limits defined in the TAOCM letter of system acceptance provided to the application facility.

- (b) Qualification of pretreatment systems for galvanized substrates shall be performed using Accelerated Corrosion Test protocol contained in GM 9540P, Method B, rather than salt spray. Test coupons with primer only shall be cured for seven days, and scribed thru the primer. After 40 cycle test exposure, the test coupons shall be scraped at a 30 degree contact angle (approximate) with a one inch (approximate) metal blade, such as a putty knife, both parallel and perpendicular to the scribe. There shall be no more than 3 mm. of rust creep (zinc corrosion products), blistering, or loss of paint adhesion from the scribe line and no more than 5 blisters in the field with non greater than 1 mm. This test shall be performed at two month intervals (two test coupons) to ensure that the process is in control. An alternative test for verifying process control is GM 9511P for 10 cycles.
- (c) Performance tests for process control are highly dependent on the type, thickness, and VOC level of the organic coating (primer) film and its adhesion to the substrate. Any change to the solvents used in the primer or changing the brand of primer will require retesting of the system. The test coupons must duplicate the production painting process as closely as possible. Primer test coupons shall represent both the minimum and maximum nominal dry film thickness. Due to the wide variation in zinc thickness with the hot dip galvanizing process, the dry film thickness of the primer will be verified with a Tooke gage or equivalent for the purpose of production and process control.
 - (d) The use of vinyl wash primer (DOD-P-15328) is prohibited due to its hexavalent chromium content and high VOC level.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

[End of Clause]

E-8 52.211-4029 INTERCHANGEABILITY OF COMPONENTS

MAY/1994

Page 20 of 49

(TACOM)

- (a) <u>DESIGN CHANGES TO ITEMS NOT UNDER GOV'T DESIGN CONTROL</u>. Once the Government accepts the first production test item, or accepts the first end item you deliver, (whichever comes first) you must not make design changes to any item or part that is not under Government design control.
- (b) WHEN THE POLICY CAN BE WAIVED. The Procuring Contracting Officer (PCO) will consider waiving this policy at your request. If your request reaches the CO after the first production item test has been performed, then we may conduct another first production test at your expense.
 - (c) PRODUCTION OR DELIVERY DELAYS. Any production or delivery delays caused by this retesting will not be the basis for:
 - (1) an "excusable delay" as defined in the DEFAULT clause of this contract.
 - (2) be the basis for an increase in contract price or delivery schedule extension.

[End of Clause]

E-952.211-4030 BASIC APPLICATION AND TESTING REQUIREMENTS FOR CHEMICAL AGENT

JAN/2003

(TACOM)

RESISTANT COATINGS (CARC) ON METALLIC SURFACES

- (a) Scope: The requirements contained herein apply whenever any or all of the following specifications are cited in the contract: MIL-C-46168, MIL-C-53039, MIL-PRF-22750, or MIL-DTL-64159.
- (b) CARC Primers: The preferred CARC primer for all applications is cathodic, epoxy electrocoat per MIL-C-53084. This primer can be directly substituted whenever MIL-P-53022 or MIL-P-53030 is specified on a drawing or specification. The dry film thickness table below contains mandatory minimum and maximum dry film thickness requirements. Failure of production painted hardware to comply with these ranges will dramatically impact the corrosion resistance and/or chip resistance of the CARC coating system. If the contractor does not possess the personnel or equipment to meet these mandatory thickness requirements, then cathodic epoxy electrocoat must be used. Any part that has rust, heat treat or mill scale must be abrasive blasted prior to the application of any coating. Select powder coat primers which have 0.0 VOCs and 0.0 HAPS can also be used as a direct replacement for MIL-P-53022 and MIL-P-53030 primers. These powder coat primers, however, can only be applied by TACOM-approved applicators. The qualification and application of these primers is controlled by "Performance Standard for Combat Grade Powder Coat Paint - U.S. Army - TACOM" and is available at _ http://contracting.tacom.army.mil/engr/eng.htm
- (c) CARC Application: The dip application of any coating listed in the table below (with the exception of epoxy electrocoat which is specifically designed for dip application) is prohibited.
- (d) End-Item Inspection. After the complete paint finish has been applied and cured* (See note below), the Contractor shall test and inspect two units per lot for (i)workmanship, (ii) total paint film thickness and (iii) paint adhesion. Unless otherwise agreed to between the Contractor and the cognizant Government quality assurance representative, a lot shall be defined as all units submitted for final Government acceptance at one time. The use of test panels in lieu of actual production units is prohibited. At final inspection, the cumulative total paint film thickness of pretreatment, primer, and topcoat shall at a minimum conform to the sum of the minimum thicknesses for individual elements of the paint finish as specified in Table I herein. Sufficient locations shall be spot-checked to ensure proper workmanship and paint thickness uniformity. The size and configuration of the unit as well as the number of vendors responsible for the paint finish of component parts shall be taken into consideration in determining the number of locations to be checked. The specific number of test locations shall be agreed to by the cognizant Government quality assurance representative in advance. In addition, two locations on each sample unit shall be selected conduct the scribe tape test. The test locations shall be routinely varied among the following:
 - (1) Directly adjacent to a weld.
 - (2) On or directly adjacent to a machine cut or sheared edge.
 - (3) On any mechanically formed surface when lubricants/drawing compounds were used.
 - (4) On paint touch-up areas.

The precise location for each scribe tape shall be in an inconspicuous location that has been accepted by the cognizant Government quality assurance representative before the test is conducted.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 21 of 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

Upon completion of the scribe tape test, the scribe marks shall be feathered into the adjacent area and touched up with the required top coat so that the tested area again conforms to the applicable minimum specified in Table I herein.

*NOTE: The complete paint finish is defined as the pretreatment, primer, and topcoat applied to the substrate. Curing of the complete paint finish is dependent upon temperature. humidity, and paint film thickness. The time necessary to achieve sufficient adhesion to pass the scribe tape test must be determined by each facility. For purposes of this test, curing at ambient temperature will take 24 days. To accelerate the curing for purposes of product acceptance, the following procedure may be followed: Cure at 190 to 210 degrees F. for three hours (this is time at temperature and is therefore material thickness dependent), followed by 7 days at 65 degrees F. minimum.

(e) Test Methods:

- (1) Film Thickness. Film thickness shall be verified with a nondestructive film gage. The gage shall be suitable for measurements over the applicable substrate material and shall have sufficient accuracy to ensure compliance to the thickness limitations. The gage shall be capable of being calibrated. If no other calibration specification or requirement is identified elsewhere in this contract, then the gage shall be calibrated in accordance with ISO 10012.
- (2) Scribe Tape Test. The following test procedure shall be followed. The test surface shall be sufficiently warm and dry to ensure adhesion of the tape. All dimensions cited in this Scribe Tape Test description are approximate:
- (a) Scribe four one-inch lines completely through the paint finish to the substrate, one sixteenth to three thirty-seconds of an inch apart.
- (b) Scribe four additional one-inch lines, completely through the paint finish, one sixteenth to three thirty-seconds of an inch apart, rotated 90 degrees with respect to the first set of lines. The resulting pattern shall contain nine squares.
- (c) Press a length of A-A-1830, A-A-884, or any commercially available tape with a minimum adhesion rating of 45 oz. per inch of width firmly over the scribed pattern, rubbing out all air pockets.
- (d) Wait ten seconds, minimum. Grasp a free end of the tape and at a rapid speed strip it from the paint surface by pulling the tape back upon itself at 180 degrees.

NOTE: The above two tests are not a substitute for corrosion test such as neutral salt spray or accelerated corrosion tests which verify coating durability.

(f) Acceptance Criteria:

SPECIFICATION

(1) Film Thickness. All applicable surfaces shall have complete paint coverage. A minimum of 75% of the applicable surfaces of each test unit shall meet the minimum, cumulative dry film thickness requirements. Failure of either test unit shall result in rejection of the production lot that it represents.

DRY FILM THICKNESS TABLE

| | (MANDATORY RANGE) |
|----------------------|-------------------|
| | |
| DOD-P-15328* | 0.3 - 0.5 |
| MIL-PRF-23377 | 1.0 - 1.5 |
| MIL-P-53022, Type I | 1.0 - 2.5 |
| MIL-P-53022, Type II | 1.5 - 2.5 |
| MIL-P-53030 | 1.5 - 2.5 |
| MIL-P-53084 | 0.8 - 1.5 |
| MIL-C-22750 | 1.3 - 2.5 |
| MIL-C-46168 | 1.8 MINIMUM |
| MIL-C-53039 | 1.8 MINIMUM |
| MIL-DTL-64159 | 1.0 MINIMUM |

DRY FILM THICKNESS (Mils)

^{*} May not be allowed per contract due to VOC and hexavalent chromium content.

⁽²⁾ Scribe Tape Test (Adhesion). The removal of two or more complete squares of top coat, or top coat-primer-pretreatment coating, from either test unit constitutes test failure and the production lot from which it comes is rejected. Removal of overspray does not constitute test failure.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 22 of 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

NOTICE: The scribe tape test is designed to detect any major deficiency in the paint application process that would affect the durability of the CARC finish. Typical causes of failure are:

- (a) Inadequate cleaning of the substrate.
- (b) Contamination of the surface between coatings.
- (c) Excessive paint film thickness in a single coating application.
- (d) Application of a coating over a previous coating which has not been adequately cured.

[End of clause]

E-10 52.211-4069 (TACOM)

WELDING INSPECTION REQUIREMENTS

MAR/2001

- (a) INSPECTION: As the contractor, during performance of this contract you will verify weld quality and workmanship using qualified inspectors trained to perform these inspection functions. Acceptable qualification of your inspectors may be based on:
 - (1) current or previous certification as an AWS Certified Welding Inspector; or
 - (2) current or previous certification by the Canadian Welding Bureau (CWB); or
- (3) inspection performed by an engineer or technician who is competent in the use of weld inspection techniques and equipment, on the basis of (i) formal training or (ii) experience, or both, in metals fabrication, inspection, and testing.
- (b) NON BALLISTIC VISUAL INSPECTION. You will perform all non-ballistic visual inspections of weld quality and workmanship for structural steel in accordance with Section 6 of AWS D1.1-96. For structural aluminum, you may perform non-ballistic visual inspections of weld quality and workmanship using the guidelines given in MIL-STD-370A, dated 21 Sep 93.
- (c) BALLISTIC VISUAL INSPECTION. You will perform all ballistic visual inspections in accordance with section 6 of the UDLP/TACOM Ground Combat Vehicle Code--Aluminum, dated July 1996. Copies of this document can be obtained by written request to:

Commander, US Army Tank-automotive and Armaments Command

ATTN: AMSTA-TR-E/Materials Warren, MI 48397-5000

[End of Clause]

E-11 52.246-4017

ALTERNATIVES TO LOT ACCEPTANCE SAMPLING (INCLUDING STATISTICAL

(TACOM) PROCESS CONTROL (SPC))

FEB/2000

- (a) Offerors are encouraged to propose a defect prevention strategy in lieu of lot acceptance inspection and testing requirement cited in the technical data package. The Government recognizes that industry has developed numerous prevention based strategies which result in reduced process variation and promote continuous process improvement initiatives. Use of alternatives to lot acceptance sampling can provide offerors the latitude of implementing prevention based programs that are suitable to their particular mode of operation. Offerors are encouraged to submit their alternative proposals prior to award. Although the Government will entertain post award requests, there is no guarantee such requests will be accepted.
- (b) Requests to use alternatives to lot acceptance sampling shall be provided to the Contracting Officer for review and approval or disapproval. Such request shall include:
 - (1) Identification of the specific inspections and tests to be reduced or eliminated.
- (2) A description of your prevention based program. This should include such topics as training program and the performance of audits.
- (3) A description of the tools used to monitor and control the specific processes being evaluated. This should include such topics as criteria for determining out of control conditions and procedures to be used when an out of control condition is detected.
 - (4) The results of a process performance study, and if available, the results of a process capability study.
 - (5) For SPC data to be used as an alternative to lot acceptance sampling, the following conditions shall be met:

| CONTINUATION SHEET | Reference No. of Document Being Continued | Page 23 of 49 |
|--------------------|---|---------------|
| CONTINUATION SHEET | PIIN/SIIN W56HZV-04-D-0211 MOD/AMD | |

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

- (i) The process is in a state of statistical control using SPC control chart methods.
- (ii) Variable data: for Critical characteristics a CPK =/> 2.00 (or equivalent capability) is achieved; for Major characteristics a CPK =/> 1.33 (or equivalent capability) is achieved.
- (iii) Attribute data: for Critical Characteristics a process average of 100% of the product conforming to the specification; for Major characteristics a process average of 99.9937% of the product conforming to the specification.
- (c) Proposals offered after award. The Contracting Officer is responsible for accepting or rejecting the alternate lot acceptance procedure submitted by the contractor. The contractor may submit an alternate lot acceptance procedure at any time during the performance of this contract. The Contracting Officer is responsible for accepting or rejecting the alternate procedure within 30 days of receipt. If the Government needs more time evaluate the alternate procedure, the Contracting Officer shall notify the contractor in writing, giving the reasons and the anticipated decision date. The contractor may withdraw its proposal at anytime prior to its incorporation by contract modification. Because offerors may withdraw their proposal at anytime, the Contracting Officer's failure to timely accept or reject the proposal shall not constitute grounds for claim against the Government. Any proposed and accepted procedure is not accepted, the Contracting Officer shall provide the contractor with written notification, explaining the reasons for rejection.
- (d) Any equitable adjustment resulting from approval of an alternate lot acceptance procedure described in paragraph (c) above will be handled in accordance with the Changes clause of this contract.
- (e) Until notification is received, the contractor is required to perform under this contract in accordance with the requirements herein, including lot acceptance inspection and testing.

[End of Clause]

- E-12 52.246-4019 VISUAL INSPECTION CRITERIA FOR STEEL WELDMENTS MAR/2001 (TACOM)
 - (a) Application: MIL-STD-1261
 - (b) Scope:
- (1) These criteria supplement paragraph 4.3 of MIL-STD-1261 and supersede paragraph 6.3.1.5 of MIL-W-46086 and paragraph 5.9.1.5 of MIL-STD-1941. AWS A3.0 shall be used to define all other welding terms not defined herein.
- (2) The limits established below represent the maximum discontinuities allowable for visual inspection of workmanship specimens and production steel weldments. (Note: Workmanship specimens which require cross-sectioning must also be evaluated for subsurface quality; these criteria are not contained herein.) Any discontinuity exceeding this limit is classified as defective and must be reworked or repaired dependent upon the nature and extent of the discontinuity. Weldments requiring subsurface weld inspection should be evaluated in accordance with the acceptance standard specified on the drawing in addition to these requirements.
 - (c) <u>Discontinuities:</u>
- (1) <u>Cracks</u> A weld crack is defined as a linear rupture resulting from excessive localized stress. Cracks can occur in the weld metal, fusion zone or heat affected zone.

No cracks are allowed

- (2) <u>Porosity</u> Porosity is defined as a rounded cavity free of solid material resulting from gas entrapment during solidification.
 - (i) Maximum pore size shall be 1/16 inch.
- (ii) There shall be no more than six pores for any twelve inch length of weld. For small weldments with continuous welds less than twelve inches in length, they shall have proportionately fewer pores allowed (example: three pores maximum for six inch length of weld).
 - (3) Overlap Overlap is defined as a protrusion of weld metal beyond the bond at the toe of the weld.
 - (i) A radiused tie-in must exist with the parent metal.
 - (ii) The overlap condition must not exceed 10% of the total weld length.

CONTINUATION SHEET Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

Page 24 of 49

MOD/AMD

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

(4) <u>Slag Inclusion</u> - Slag inclusion is defined as a non-metallic solid material entrapped in or on the weld metal or between the weld metal and base metal. This discontinuity is applicable to SMA and FCAW processes.

No slag inclusions are allowed.

- (5) <u>Undercut</u> Undercut is defined as a groove melted into the base material adjacent to the toe of the weld and left unfilled by weld metal.
 - (i) For base materials .25 inch and less in thickness, no undercutting is permitted.
 - (ii) For base materials greater than .25 inch thickness:
 - (A) The maximum depth of undercut shall be 1/32 inch.
 - (B) The undercut must have a width not less than twice the depth.
 - (C) The length of undercut shall not exceed two inches cumulative in any continuous 24 inch length of weld. For continuous welds less than 24 inches in length, the maximum cumulative length shall be in direct proportion to this limit or one inch, whichever is greater. (For example: for an eight inch continuous length of weld, maximum cumulative allowable undercut length is one inch).

(d) Weld Size:

- (1) Fillet Welds:
 - (i) Fillet welds shall be measured using fillet weld gages.
 - (ii) For welds one-fourth inch and less, the weld size is the minimum as specified on the drawing symbol.
- (iii) For fillet welds larger than one-fourth inch, the weld may be undersize by 1/16 inch for a maximum length of 10% of the continuous weld length.
 - (2) Groove Welds:

No underfill is allowed.

- E-13 52.246-4024 SUBSTITUTING COMMERCIAL TEST RESULTS FOR REQUIRED CONTRACT TESTS APR/2000 (TACOM)
- (a) GENERAL. At your request, we may delete all or some of the Government or contractor conducted tests required by this contract or order, under the following conditions:
 - (1) You have (or your supplier has) previously supplied the identical item to us and we've accepted it, or:
- (2) You have commercial test reports, performance data, analytical data, or vendor reports demonstrating that the item you will be furnishing us meets the contract requirements.
 - (b) HOW TO SUBMIT A TEST-DELETION REQUEST.
- (1) BEFORE CONTRACT AWARD Submit your request along with your offer in response to our solicitation. Make sure that your offer includes an alternate price (that reflects how your offered price would change if we approve your request to delete the specified tests). If we approve your request to delete test requirements or substitute commercial testing procedures, we will evaluate your offer at the alternate price submitted with your request. If you don't submit an alternate price with your request, we'll evaluate your offer at the price you indicated in the Schedule. No adjustments will be made to the price after contract award.
- (2) AFTER CONTRACT AWARD Send your request to the buyer identified on the face page of the contract within 45 days after contract award.
 - (3) ALL REQUESTS MUST -
 - -- identify the test(s) you want deleted;

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 25 of 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

- -- state the basis for your request;
- -- include a list of configuration changes made;
- -- demonstrate that you meet the conditions in paragraph (a)(1) or (a)(2) of this clause; and
- -- include an alternate price per paragraph (b)(1) above, if you make your request prior to award; or
- -- include proposed amount of equitable adjustment, if you make your request after award.
- (c) SUPPORTING DATA. If we agree to delete a test or tests, you must keep the data you used to support your request for four years from the day we approved your request. You must provide us with such data if we ask for a copy.
- (d) CONTRACT ADJUSTMENT. If we agree to delete a test or tests after contract award, we may negotiate an equitable adjustment in the contract price. Any such negotiation will be conducted using the rules given in the CHANGES--FIXED PRICE clause, FAR 52.243-1.

[End of Clause]

E-14 52.246-4025 HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT--TACOM QUALITY SYSTEM OCT/1997 (TACOM) REQUIREMENT

- (a) As the contractor, you shall implement and maintain a quality system that ensures the functional and physical conformity of all products or services you furnish under this contract. Your quality system shall achieve (i) defect prevention and (ii) process control, providing adequate quality controls throughout all areas of contract performance.
- (b) Your quality system may be based on (i) international quality standards such as the ISO 9000 series, or (ii) military, or (iii) commercial, or (iv) national quality standards. You represent that your performance under this contract will be in accordance with your quality system, which is in compliance with:

[] ISO 9001

[] ISO 9002

] QS 9000

[] QS 9000 [] ANSI/ASQ Q9001

] ANSI/ASO 09002

[] Other, specifically __

(Note: if you check the "Other" block because you intend to use an in-house quality system, or one based on a commercial, national, or international system not identified above, then in addition to identifying your proposed system in the space above, to the right of the word "Other," you must attach a description of this system to your offer in response to the solicitation, so that we can assess its suitability. If you receive a contract award, your proposed system will be required by the contract.)

- (c) Certification of compliance or registration of the quality system you identify above, by an independent standards organization or auditor, does not need to be furnished to us under this contract. However, you may attach a copy of such certification with your offer in response to the solicitation, as proof of system compliance.
- (d) At any point during contract performance, we have the right to review your quality system to assess its effectiveness in meeting contractual requirements.

[End of Clause]

E-15 52.246-4028 INSPECTION POINT: ORIGIN FEB/1994 (TACOM)

We will inspect the supplies as described elsewhere in this solicitation/contract before acceptance. Fill-in the location, contractor's or subcontractor's plant, where origin inspection will occur.

| CONTRACTOR'S PLANT: | | | | | | |
|------------------------|-----------|--------|----------|---------|-------|--|
| | (Name) | | | | | |
| | | | | | | |
| | | | | | | |
| | (Address) | (City) | (County) | (State) | (Zip) | |
| | | | | | | |
| | | | | | | |
| SUBCONTRACTOR'S PLANT: | | | | | | |
| | (Name) | | | | | |

| CON | CONTINUATION SHEET | | Refere | ence No. of Doc | Page 26 of 49 | | |
|---------------|------------------------|------------|-----------------|----------------------------|---------------|---------|----------|
| CON | CONTINUATION SHEET | | | PIIN/SIIN W56HZV-04-D-0211 | | MOD/AMD | |
| Name of Offer | ror or Contractor | SOLTAM SYS | TEMS LTD. | | | | |
| | | | | | | | |
| | _ | (Address) | (City) | (County) | (State) | (Zip) | |
| | | | | [End of Clause |] | | |
| | | | | | | | |
| E-16 | 52.246-4029 (TACOM) | ACCEPTANC | E POINT: ORIGIN | | | | OCT/2002 |
| | | | | | | | |

We will accept these supplies at the address or addresses designated in the Section E clause entitled INSPECTION POINT.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 27 **of** 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

SECTION F - DELIVERIES OR PERFORMANCE

| | Regulatory Cite | Title | Date |
|-----|------------------------|---|----------|
| F-1 | 52.211-17 | DELIVERY OF EXCESS QUANTITIES | SEP/1989 |
| F-2 | 52.242-15 | STOP-WORK ORDER | AUG/1989 |
| F-3 | 52.242-17 | GOVERNMENT DELAY OF WORK | APR/1984 |
| F-4 | 52.247-29 | F.O.B. ORIGIN | JUN/1988 |
| F-5 | 52.247-34 | F.O.B. DESTINATION | NOV/1991 |
| F-6 | 52.247-48 | F.O.B. DESTINATIONEVIDENCE OF SHIPMENT (DEVIATION) | FEB/1999 |
| F-7 | 52.247-58 | LOADING, BLOCKING, AND BRACING OF FREIGHT CAR SHIPMENTS | APR/1984 |
| F-8 | 52.247-59 | F.O.B. ORIGINCARLOAD AND TRUCKLOAD SHIPMENTS | APR/1984 |
| F-9 | 52.242-4457 (TACOM) | DELIVERY SCHEDULE FOR DELIVERY ORDERS | OCT/2002 |

- (a) Unless we specify a different delivery schedule in an individual delivery order, the following delivery schedule applies to delivery orders under this contract:
- (1) Start deliveries 390 days after the delivery order date or if FAT is waived, 210 days after the delivery order date. Subsequent delivery orders will start deliveries 210 days after the delivery order date. Continue delivering every thirty days, if necessary, until all items are delivered.
 - (i) You'll deliver a minimum of 500 units every 30 days;
 - (ii) You'll deliver a maximum of 2,000 units every 30 days
 - (iii) You can deliver more than the maximum number of units every thirty days: AT NO ADDITIONAL COST TO THE GOVERNMENT.
 - (2) Delivery is defined as follows:
- (i) FOB Origin Contractor is required to deliver its shipment as provided in FAR 52.247-29(a)(1)-(4) by the time specified in the individual delivery order.
- (ii) <u>FOB Destination</u> Contractor is required to deliver its shipment as provided in FAR 52.247-34(a)(1)-(2) by the time specified in the individual delivery order. The contractor must take into consideration the length of time necessary to deliver its shipment to the destination designated in the delivery order, to ensure that the item reaches its destination by the time reflected in the delivery order.
- (3) Proposing an accelerated delivery schedule will not prejudice your offer. However, if you propose a delivery schedule longer than the schedule listed above, or a maximum quantity less than what is requested in Paragraph (a)(1)(ii) above, your offer may be determined unacceptable for award.

ALL CONTRACTORS. PLEASE INDICATE BELOW IF YOU CAN PRODUCE MORE THAN 2,000 WHEELS PER MONTH. IF SO, WHAT IS YOUR MAXIMUM MONTHLY CAPACITY FOR THIS WHEEL.

- (1) I WILL START DELIVERIES ____ DAYS AFTER THE AWARD DATE; OR, IF APPLICABLE, ____ DAYS AFTER AWARD IF FIRST ARTICLE TEST IS WAIVED. DELIVERIES ON SUBSEQUENT DELIVERY ORDERS WILL START ____ DAYS AFTER DELIVERY ORDER AWARD DATE.
- (2) I WILL DELIVER A QUANTITY OF _____ UNITS EVERY 30 DAYS, BUT I HAVE THE CAPABILITY TO DELIVER UP TO A MAXIMUM OF _____UNITS EVERY 30 DAYS.

[End of Clause]

F-10 52.211-16 VARIATION IN QUANTITY

APR/1984

(a) A variation in the quantity of any item called for by this contract will not be accepted unless the variation has been caused by conditions of loading, shipping, or packing, or allowances in manufacturing processes, and then only to the extent, if any, specified in paragraph (b) below.

ZERO percent decrease.

(iii) Item ____

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 28 of 49

| me of Offeror or Contractor | SOLTAM SYSTEMS LTD. |
|-----------------------------|---------------------|
|-----------------------------|---------------------|

(c) This increase or decrease shall apply to THE TOTAL CONTRACTUAL QUANTITY.

[End of Clause]

F-11 52.247-60 GUARANTEED SHIPPING CHARACTERISTICS

DEC/1989

(a) The offeror is requested to complete subparagraph (a)(1) of this clause, for each part or component which is packed or packaged separately. This information will be used to determine transportation costs for evaluation purposes. If the offeror does not furnish sufficient data in subparagraph (a)(1) of this clause, to permit determination by the Government of the item shipping costs, evaluation will be based on the shipping characteristics submitted by the offeror whose offer produces the highest transportation costs or in the absence thereof, by the Contracting Officer's best estimate of the actual transportation costs. If the item shipping costs, based on the actual shipping characteristics, exceed the item shipping costs used for evaluation purposes, the Contractor agrees that the contract price shall be reduced by an amount equal to the difference between the transportation costs actually incurred, and the costs which would have been incurred if the evaluated shipping characteristics had been accurate.

| | | all be reduced by an amount equal to the difference between the transportation costs actually incurred, and been incurred if the evaluated shipping characteristics had been accurate. |
|-------------|-----------|--|
| (1) | To be o | completed by the offeror: |
| | (i) | Type of "Outer" container: Wood Box, Fiber Box, Barrel, Reel, Drum, Other (Specify) |
| | (ii) | Shipping configuration: Knocked-down, Set-up, Nested, Other (specify); |
| | (iii) | Size of outer container: inches (Length), x inches (Width), x inches (Height) = Cubic FT; |
| | (iv) | Number of items per outer container Each; |
| | (v) | Gross weight of outer container and contents LBS |
| | (vi) | Palletized/skidded Yes No; |
| | (vii) | Number of outer containers per pallet/skid; |
| | (viii) | Weight of empty pallet bottom/skid and sides LBS; |
| | (ix) | Size of pallet/skid and contents; |
| | (x) | Number of outer containers or pallets/skids per railcar * |
| | | Size of railcar |
| | | Type of railcar |
| | (xi) | Number of outer containers or pallets/skids per trailer * |
| | | Size of trailer |
| | | Type of trailer |
| Number of c | omplete ı | units (contract line item) to be shipped in carrier's equipment. |
| (2) | To be o | completed by the Government after evaluation but before contract award: |
| | (i) | Rate used in evaluation; |
| | (ii) | Tender/Tariff; |

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 29 of 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

The guaranteed shipping characteristics requested in subparagraph (a)(1) of this clause do not establish actual transportation requirements, which are specified elsewhere in this solicitation. The guaranteed shipping characteristics will be used only for the purpose of evaluating offers and establishing any liability of the successful offeror for increased transportation costs resulting from actual shipping characteristics which differ from those used for evaluation in accordance with paragraph (a) of this clause.

[End of FAR Clause]

The following information is provided as guidance in filling out the above clause by paragraph. Note: Disregard asterisk (*) in the clause where it appears.

(a)(1)(i) Type of container (mandatory fill-in):

The type of container is defined as an overpack. This is an outer container usually made of steel, wood, or fiber designed to enclose and protect one or more less durable inner containers. When Other is selected you must also complete (a)(1)(ii) Shipping configuration.

(a)(1)(ii) Shipping configuration:

Complete this information when any one dimension of the item is reduced.

(a)(1)(iii) Size of container (mandatory fill-in):

Outer dimensions of the overpack or other described shipping configuration. Must be provided in inches. The cube shall be provided in cubic feet. The cube is defined as the volume of space occupied by the unit under consideration computed by multiplying overall exterior length, width, and height.

(a)(1)(iv) Number of items per container (mandatory fill-in):

The number of units of issue in the overpack or in the other described shipping configuration.

(a)(1)(v) Gross weight of container and contents (mandatory fill-in):

The combined mass of the overpack containing the packing material and the number of units of issue supplied in pounds.

(a)(1)(vi) Palletized/skidded:

Indicate Yes if overpack or other described shipping configuration is attached to pallet or skid to form a unit load for handling.

(a)(1)(vii) Number of containers per pallet/skid:

Only complete this if you answered Yes to (a)(1)(vi). Containers are the number of overpacks or other described shipping configurations attached to a pallet or skid base.

(a)(1)(viii) Weight of empty pallet bottom/skid and sides:

Only complete this if you answered Yes to (a)(1)(vi) or when the weight of the container and contents in (a)(1)(v) above does not include this weight.

(a)(1)(ix) Size of pallet/skid and contents:

Only complete this if you answered Yes to (a)(1)(vi). Indicate weight in pounds and cube in cubic feet of combined overpack or other described shipping configuration and attached pallet or skid. The cube is defined as the volume of space occupied by the unit under consideration computed by multiplying overall exterior length, width, and height.

(a)(1)(x) Number of containers or pallets/skids per railcar:

Only complete this if you have rail capability and the rail car may be fully utilized. Quantity of overpacks or other described shipping configurations that will fit in a fully utilized railcar. Specify length in feet and type (flat, box, gondola, etc.) of railcar.

(a)(1)(xi) Number of containers or pallets/skids per trailer (mandatory fill-in): Quantity of overpacks or other described shipping configurations that will fit in a fully utilized trailer. Specify length in feet and type (flatbed, van, etc.) of trailer. For import/export shipments in ISO/seavan containers indicate quantity of overpacks or other described shipping configurations fully utilizing the container. Specify length in feet of the ISO/seavan containers.

NOTE: Fully Utilized means filling to full visible capacity.

[End of Clause]

F-12 52.247-65 F.O.B. ORIGIN--PREPAID FREIGHT--SMALL PACKAGE SHIPMENTS JAN/1991

(a) When authorized by the Contracting Officer, f.o.b. origin freight shipments which do not have a security classification shall move on prepaid commercial bills of lading or other shipping documents to domestic destinations, including air and water terminals. Weight of individual shipments shall be governed by carrier restrictions but shall not exceed 150 pounds by any form of commercial air or 1,000 pounds by other commercial carriers. The Government will reimburse the Contractor for reasonable freight charges.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 30 of 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

CONTINUATION SHEET

- (b) The Contractor shall annotate the commercial bill of lading as required by the clause of this contract entitled <u>Commercial</u> <u>Bill of Lading Notations</u>.
- (c) The Contractor shall consolidate prepaid shipments in accordance with procedures established by the cognizant transportation office. The Contractor is authorized to combine Government prepaid shipments with the Contractor's commercial shipments for delivery to one or more consignees and the Government will reimburse its pro rata share of the total freight costs. The Contractor shall provide a copy of the commercial bill of lading promptly to each consignee. Quantities shall not be divided into mailable lots for the purpose of avoiding movement by other modes of transportation.
- (d) Transportation charges will be billed as a separate item on the invoice for each shipment made. A copy of the pertinent bill of lading, shipment receipt, or freight bill shall accompany the invoice unless otherwise specified in the contract.
 - (e) Loss and damage claims will be processed by the Government.

[End of Clause]

F-13 52.247-4005 SHIPMENT OF SUPPLIES AND DETENTION OF CARRIERS EQUIPMENT AUG/2003 (TACOM)

- (a) Unless otherwise directed, shipment items under this contract in following order of priority:
 - (1) Government/Commercial Bill(s) of Lading or US Postal Services;
 - (2) Prepaid Commercial Bill(s) of Lading with transportation charges entered as a separate item on the invoice; or
 - (3) As otherwise instructed when the contract prohibits use of Government funds for transportation costs.
- (b) The Contractor will request:
 - (1) Government Bills of Lading and
- (2) Routing and other instructions, including Defense Transportation Regulation (DTR), DOD Regulation 4500.9-R-Part 2 Cargo Movement, as to the methods of shipment to be followed by the Contractor, or
- (c) The Contractor and subcontractor(s) must allow prompt and convenient access of carrier's equipment to loading docks or platforms where the contract items supplies will be loaded. Any charges for detention of carrier's equipment shall be for the account of the Contractor, except when the detention is required or caused by the Government.

[End of Clause]

| F-14 | 52.247 (TACOM | | FOR THE APPLICABLE MODE OF | SHIPMENTS: IN-THE-CLEAR MAY/2004 |
|---------|------------------|------------------------|----------------------------|----------------------------------|
| Rail/ | MILSTRIP | | | |
| Motor | Address | Rail | Motor | Parcel Post |
| SPLC* | Code | Ship To: | Ship To: | Mail To: |
| 206721/ | W25G1U | Transportation Officer | Transportation Officer | Transportation Officer |
| 209405 | | Defense Dist Depot | Defense Dist Depot | Defense Dist Depot |
| | | Susquehanna | Susquehanna | Susquehanna |
| | | New Cumberland, PA | New Cumberland, PA | New Cumberland, PA 17070-5001 |

NOTE: All deliveries to New Cumberland MUST be scheduled at least 10 days prior to the delivery date. The carrier or contractor must call the New Cumberland DDSP customer service number, 800-307-8496 and provide the following information: contract number, item name, National Stock Number, total weight and cube, and vendor. All shipments to this MILSTRIP address code (W25G1U) are for mission stock and they will need to know that as well, but if you have instructions from the Contracting Officer to use MILSTRIP address code W25N14 instead, you must inform the appointment-taker that the delivery is for Consolidation and Containerization Point (CCP) stock. Appointments for FOB Origin shipments should be coordinated with DCMA Transportation.

| 875670/ | W62G2T | Transportation Officer | Transportation Officer | Transportation Officer |
|---------|--------|------------------------|------------------------|------------------------|
| 875675 | | XU Def Dist Depot | XU Def Dist Depot | Dist Depot San Joaquin |
| | | San Joaquin | San Joaquin | P O Box 96001 |

| | CONTINUATION SHEET | | Reference No. of Document Being Continued | | Page 31 of 49 |
|--|--------------------|---|---|--|---------------|
| • | CONTINU | ATION SHEET | PIIN/SIIN W56HZV-04-D-0211 MOD/AMD | | |
| Name of Offeror or Contractor: SOLTAM SYSTEMS LTD. | | | | | |
| | | 25600 S Chrisman Rd Rec Whse 10 Tracy, Ca 95376-5000 | 25600 S Chrisman Rd Rec Whse 10 Tracy, Ca 95376-5000 | Stockton, CA 95296-0130 | |
| 471995/ 471996 | W31G1Z | Transportation Officer Anniston Army Depot, Bynum, AL | Transportation Officer Anniston Army Depot, Bynum, AL | Transportation Officer Anniston Army Depot, Anniston, AL 36201-5021 | |
| 209741/ 209770 | W25G1R | Transportation Officer Letterkenny Army Depot, Culbertson, PA | Transportation Officer Letterkenny Army Depot, Chambersburg, PA | Transportation Officer Letterkenny Army Depot, Chambersburg, PA 17201-4150 | |
| 661136/ 661157 | W45G19 | Transportation Officer Red River Army Depot, Defense, TX | Transportation Officer Red River Army Depot, Texarkana, TX | Transportation Officer Red River Army Depot, Texarkana, TX 75507-5000 | |
| 764538/ 764535 | W67G23 | Transportation Officer Tooele Army Depot, Warner, UT | Transportation Officer Tooele Army Depot, Tooele, UT | Transportation Officer Tooele Army Depot, Tooele, UT 84074-5003 | |

NOTE: The following is applicable only when so specified in an individual order or delivery increment:

This requirement is a depot replenishment buy, a portion of which is or may be required to fill Direct Support System (DSS) requisitions. Shipment shall be made, as specified, to one or more of:

New Cumberland Army Depot Red River Army Depot Sharpe Army Depot

prior to shipments to any other depots as may be designated. When more than one depot is designated for DSS shipments, priority shipments will be made equally to each of the designated destinations.

^{***}SPLC indicates \underline{S} tandard \underline{P} oint \underline{L} ocator \underline{C} ode.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 32 of 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

SECTION G - CONTRACT ADMINISTRATION DATA

| Regulatory Cite | Title | |
|----------------------------|--|----------|
| G-1 52.209-4004 (TACOM) | DELEGATION OF AUTHORITY FOR FIRST ARTICLE APPROVAL | FEB/1985 |

The Administrative Contracting Officer (ACO) is delegated the authority to approve or disapprove the First Article Test Report submitted in accordance with the clause in Section E of this contract entitled FIRST ARTICLE APPROVAL -- CONTRACTOR TESTING (FAR 52.209-3). A copy of the test report and the ACO's letter of approval or disapproval shall be furnished through the Procuring Contracting Officer (PCO) to: Commander, US Army Tank-automotive and Armaments Command, Attn: AMSTA-TR-E, Warren, MI 48397-5000.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 33 **of** 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

SECTION H - SPECIAL CONTRACT REQUIREMENTS H-0 Economic Price Adjustment - Steel

- (a) The Contractor shall notify the Contracting Officer of any increases or decreases in the price of steel, as identified in Attachment 01, used to manufacture the rim and disc portion of the roadweel. The Contractor shall furnish this notice no later than 10 days after the final delivery under the relevant delivery order. The parties may agree to an additional period, but not later than the date of final payment under this contract. The notice shall be in the form required by the Contracting Officer and shall include the Contractor's request for an adjustment in the contract unit price; supporting data explaining the cause, effective date, and amount of the increase or decrease; and the amount of the Contractor's requested adjustment. The supporting data shall include copies of purchase orders or invoices showing the actual unit cost (and total quantity) of the applicable steel material and the contractor (or subcontractor) procured to produce the end items.
- (b) Promptly after the Contracting Officer receives the notice and data under paragraph (a) of this clause, the Contracting Officer shall calculate the amount of the adjustment in accordance with the formula set forth below in paragraph (d). In the event that an adjustment is deemed appropriate during the fourth quarter of any given Government fiscal year, the adjustment will be made, without interest, in the first quarter of the following Government fiscal year. After the Contracting Officer calculates the amount of the adjustment, the Contracting Officer will modify the contract to reflect the price adjustment for the relevant delivery order. The Contractor shall continue performing pending determination of any adjustment.
 - (c) Any price adjustment under this clause is subject to the following limitations:
- (1) Any adjustment shall be limited to the effect of the increases or decreases in the price of steel defined in paragraph (a) above. There shall be no adjustment for --
 - (i) Supplies or services for which the production cost is not affected by such changes;
 - (ii) Changes in unit prices/costs other than those shown in Attachment 01.
 - (iii) Changes in the quantities of material used from those shown in Attachment 01 for each item;
 - (iv) Associated indirect costs (burden, overhead, G&A, etc.) or profit.
- (2) There shall be no contract adjustment for any change in the price of steel, which would not result in a net change of at least 2 percent of the total price for the end items associated with the relevant delivery order. The 2 percent limitation applies to the figure remaining after all calculations have been made in accordance with paragraph (d) below. Net change is defined as the aggregate of any increases or decrease in the price of the end item(s).
- (3) The aggregate of the increases in any contract unit price made under this clause shall not exceed 15 percent of the original unit price, per delivery order. The 15 percent limitations applies to the figure remaining after all calculations have been made in accordance with paragraph (d) below. There is no percentage limitation on the amount of decreases that may be made under this clause.
- (4) The amount of the contract adjustment associated with each delivery order will be reduced by 10 percent. This reduction represents an amount the parties agree reflects a reasonable amount associated with price changes on the Contractor's (or subcontractor's) scrap steel yield. The amount of the reduction (10 percent) is fixed and will not change, regardless of actual increases or decreases in the value of scrap steel.
- (d) <u>EPA Formula</u>. Contract adjustments will be based on the difference between the steel price, per pound, included in the contractor's end-item price at the time of award (based on information provided in Attachment 01) versus the purchase order price for steel, per pound, used to produce the end items in the relevant delivery order, times the steel quantity per end item, times the number of units delivered per that delivery order minus the 10% reduction. If the net change is at least plus or minus 2% of the value of the end item price at the time of award, the contract will be adjusted.
- (e) For purposes of clarification, an example of the contract adjustment discussed above in paragraph (d) is provided. Assume deliveries of 10,000 units in the delivery order, production requires 100 pounds of metal material per unit, and an end item price of \$150 per unit. In the original contract price the contractor included a steel price of \$1.00 per pound, and the price of steel used to produce the units is \$1.15 per pound. The contract price adjustment for the end item(s) delivered under the relevant delivery order would be calculated as follows:

{[Actual price of steel used for delivery order - price of steel within original contract price] x quantity of steel per end item x number of units delivered} - 10% = net change.

 ${[$1.15 - $1.00] \times 100 \text{ pounds/unit x } 10,000 \text{ units}} - 10% = $135,000$

\$135,000 represents the net change associated with the relevant delivery order. Since the increase is more than

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 34 of 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

2% of the end item price (\$1.5M) it satisfies the limitation imposed by paragraph (c)(2) and since it is less than 15% of the original unit price, it satisfies the limitation imposed by paragraph (c)(3). Therefore, the contract would be adjusted for that particular delivery order by increasing the contract by \$135,000.

- (f) The Contracting Officer may examine the Contractor's (or subcontractor's) books, records, and other supporting data relevant to the cost of material associated with this clause during all reasonable times until the end of 3 years after the date of final payment under this contract or the time periods specified in Subpart 4.7 of the Federal Acquisition Regulation (FAR), whichever is earlier.
- (g) If the contractor (or subcontractor) procures the steel defined in paragraph (a) via purchases made in a currency other than U.S. dollars, all the steel prices and calculations referenced in this clause and Attachment 01 shall be shown in that currency, and the following additional provisions in this paragraph apply. The total net change explained in paragraph (d) above (and exemplified in paragraph (e) above) would be first calculated in terms of that applicable currency. The contractor shall then convert that net change into a U.S. dollar amount by using the noon buying rate in New York, for cable transfers payable in the applicable foreign currency. The resource for determining this foreign exchange rate shall be the foreign exchange rates certified by the Federal Reserve Bank of New York, for customs purposes. As of release of this solicitation, these rates can be found at www.federalreserve.gov/releases/h10/update/. For this conversion calculation, the contractor shall use the foreign exchange rate for the first business day in the last month of end-item deliveries covered by the particular delivery order. The net change amount, in

[End of Clause]

*** END OF NARRATIVE H 001 ***

U.S. dollars, shall be the amount subject to the limitations in paragraphs (c) and (d) of this clause.

| | Regulatory Cite | Title | Date |
|------|-----------------|---|----------|
| H-1 | 52.232-16 | PROGRESS PAYMENTS (Alternate III, dated February 2002) | APR/2003 |
| H-2 | 252.204-7000 | DISCLOSURE OF INFORMATION | DEC/1991 |
| H-3 | 252.205-7000 | PROVISION OF INFORMATION TO COOPERATIVE AGREEMENT HOLDERS | DEC/1991 |
| H-4 | 252.225-7001 | BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM | APR/2003 |
| H-5 | 252.225-7002 | QUALIFYING COUNTRY SOURCES AS SUBCONTRACTORS | APR/2003 |
| H-6 | 252.225-7004 | REPORTING OF CONTRACT PERFORMANCE OUTSIDE THE UNITED STATES | APR/2003 |
| H-7 | 252.225-7010 | DUTY-FREE ENTRYADDITIONAL PROVISIONS | AUG/2000 |
| H-8 | 252.227-7036 | DECLARATION OF TECHNICAL DATA CONFORMITY | JAN/1997 |
| H-9 | 252.227-7037 | VALIDATION OF RESTRICTIVE MARKINGS ON TECHNICAL DATA | SEP/1999 |
| H-10 | 252.231-7000 | SUPPLEMENTAL COST PRINCIPLES | DEC/1991 |
| H-11 | 252.232-7004 | DOD PROGRESS PAYMENT RATES | OCT/2001 |
| H-12 | 252.242-7004 | MATERIAL MANAGEMENT AND ACCOUNTING SYSTEM | DEC/2000 |
| H-13 | 252.246-7000 | MATERIAL INSPECTION AND RECEIVING REPORT | MAR/2003 |
| H-14 | 252.246-7001 | WARRANTY OF DATA | DEC/1991 |
| | | | |
| H-15 | 52.216-18 | ORDERING | OCT/1995 |

- (a) Any supplies and services to be furnished under this contract shall be ordered by issuance of delivery orders or task orders by the individuals or activities designated in the Schedule. Such orders may be issued from DATE OF CONTRACT AWARD through THREE YEARS FROM THE DATE OF CONTRACT AWARD.
- (b) All delivery orders or task orders are subject to the terms and conditions of this contract. In the event of conflict between a delivery order or task order and this contract, the contract shall control.
- (c) If mailed, a delivery order or task order is considered <u>issued</u> when the Government deposits the order in the mail. Orders may be issued orally, by facsimile, or by electronic commerce methods only if authorized in the Schedule.

[End of Clause]

H-16 52.216-19 ORDER LIMITATIONS

OCT/1995

- (a) <u>Minimum order</u>. When the Government requires supplies or services covered by this contract in an amount of less than 5,400, the Government is not obligated to purchase, nor is the Contractor obligated to furnish, those supplies or services under the contract.
 - (b) Maximum order. The Contractor is not obligated to honor--
 - (1) Any order for a single item in excess of 50,000.
 - (2) Any order for a combination of items in excess of 50,000.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

(3) A series of orders from the same ordering office within 15 days that together call for quantities exceeding the limitation in subparagraph (1) or (2) above.

- (c) If this is a requirements contract (i.e., includes the REQUIREMENTS clause at subsection 52.216-21 of the Federal Acquisition Regulation (FAR)), the Government is not required to order a part of any one requirement from the Contractor if that requirement exceeds the maximum-order limitations in paragraph (b) above.
- (d) Notwithstanding paragraphs (b) and (c) above, the Contractor shall honor any order exceeding the maximum order limitations in paragraph (b), unless that order (or orders) is returned to the ordering office within 15 days after issuance, with written notice stating the Contractor's intent not to ship the item (or items) called for and the reasons. Upon receiving this notice, the Government may acquire the supplies or services from another source.

[End of Clause]

H-17 252.225-7003 REPORT OF INTENDED PERFORMANCE OUTSIDE THE UNITED STATES

APR/2003

Page 35 of 49

- (a) The offeror shall submit a Report of Contract Performance Outside the United States, with its offer, if-
 - (1) The offer exceeds \$10 million in value; and
 - (2) The offeror is aware that the offeror or a first-tier subcontractor intends to perform any part of the contract outside the United States and Canada that-
 - (i) Exceeds \$500,000 in value; and
 - (ii) Could be performed inside the United States or Canada.
 - (b) Information to be reported includes that for-
 - (1) Subcontracts;
 - (2) Purchases; and
 - (3) Intracompany transfers when transfers originate in a foreign location.
 - (c) The offeror shall submit the report using-
 - (1) DD Form 2139, Report of Contract Performance Outside the United States; or
 - (2) A computer-generated report that contains all information required by DD Form 2139.
 - (d) The offeror may obtain a copy of DD Form 2139 from the Contracting Officer.

(End of provision)

H-18 52.204-4005 REQUIRED USE OF ELECTRONIC CONTRACTING (TACOM)

APR/2004

- "Microsft 97" below should read "Microsoft 2002"
- (a) All contract awards, modifications and delivery orders issued by TACOM will be issued electronically. The contractor has the option to receive these actions either via the Worldwide Web (WWW) or Electronic Data Interchange (EDI). Many provisions and clauses appear "by reference," meaning only clause titles and regulation site are listed; their full texts can be found at the website http://farsite.hill.af.mil/
- (b) In order to be eligible to receive an award under this solicitation, the successful offeror must be registered with the Department of Defense (DOD) Central Contractor Registration (CCR). The CCR registration process may be done electronically at the World Wide Web (WWW) site: http://www.ccr.gov/ . (In order to be registered to use EDI, you must use the long form for registration. Certification information, including information on the EDI 838 TPP, must be furnished to the Contracting Officer within 60 calendar days after contract award to complete networking requirements within the Government.)
- (c) Worldwide Web Distribution. The contractor will receive an electronic Notice of the Award, Modification, or Delivery Order via e-mail. If you choose the WWW option, you must download the file from the appropriate TACOM webpage:

Warren: http://contracting.tacom.army.mil/awards_official.htm

Rock Island: http://aais.ria.army.mil/AAIS/AWDINFO/index.htm

Picatinny: http://procnet.pica.army.mil/Contracts/Index.htm

Red River Army Depot: http://www.redriver.army.mil/contracting/Awards

Anniston Army Depot: http://www.anadprocnet.army.mil

- (d) Electronic Data Interchange. If you choose to receive contract awards, modifications and delivery orders through EDI, they will be delivered electronically via the Federal Acquisition Network (F ACNET). Federal Standard Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.
 - (1) You must complete the EDI 838 Trading Partner Profile, and must agree (i) to subcontract with a DoD certified VAN or

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 36 of 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

Value Added Service (VAS) provider, or (ii) to become DoD certified as a Value Added Network (VAN). The EDI 838 Training Partner Profile is contained in the basic CCR registration form and includes portions of the registration form which are titled "Optional".

- (2) You must select a VAN from the official DoD approved list. DoD Certified VANs are listed at http://www.acq.osd.mil/ec/ecip/index.htm . If your VAN is later removed from the official list, or if you voluntarily drop your initially selected VAN, then you must switch to a VAN that remains on the official DoD approved list. You must maintain an active account on a DoD approved VAN for the entire duration of the contract, beginning no later than the 60th day after award.
- (e) Unless otherwise specified elsewhere in the contract, all data items you are required to provide under this contract must be submitted electronically. Acceptable formats include:
 - (1) Microsoft* 97 Office Products (TACOM can currently read OFFICE 97* and lower.): Word, Excel, Powerpoint, or Access
 - (2) 100 OR 250 MEGABYTE ZIP*-DISK, 3 1/2 INCH DISK, OR 650 MEGABYTE CD ROM
 - (3) E-MAIL (Maximum size of each e-mail message is be three and one-half (3.5) megabytes).
- (4) Other electronic formats. Before submitting your data in any other electronic format, please e-mail the buyer identified on the face of the contract, with e-mail copy-furnished to amsta-idq@tacom.army.mil, to obtain a decision as to the format's acceptability. This e-mail must be received by the buyer not later than ten calendar days before the required data submission date.

NOTE: The above formats may be submitted in compressed form using self-extracting files.

- (f) Additional information can be obtained by sending a message to: acqcenweb@tacom.army.mil or by calling (586) 574-7059. [End of Clause]
- H-19 52.216-4722 ORDERING FOR MULTIPLE AWARDS

OCT/2002

- (a) Each awardee shall be provided a fair opportunity to be considered for each order in excess of \$2,500.00, unless one of the exceptions outlined in subparagraph b is met. The Contracting Officer, in making decisions in the award of any individual task order or delivery order, shall consider price or cost under each order as one of the factors in the selection decision. The Contracting Officer may also consider the following items when developing the factors in the selection decision, tailored for each individual order:
- (1) contractor's record of past performance on earlier orders under the multiple award contract, including quality, timeliness and cost control,
 - (2) potential impact on other orders placed with the contractor,
 - (3) minimum order requirements, and
- (4) such other factors as the Contracting Officer believes should be taken into account in the best interest of the Government.

The Contracting Officer may use streamlined procedures, including oral presentations, when selecting an order awardee. The competition requirements of FAR Part 6 and the policies of FAR subpart 15.3 do not apply to the ordering process and the Contracting Officer is not required to use a formal evaluation plan or scoring of offers. Additionally, the Contracting Officer need not contact each of the multiple awardees under the contract before selecting an order awardee if the Contracting Officer has information available to ensure that each awardee is provided a fair opportunity to be considered for each order. However, the Contracting Officer shall document in the contract file the rationale for placement and price of each order. A multiple contract awardee may at any time after contract award offer a lower price than that provided for in this contract, and the Contracting Officer may accept the contractor's lower cost/price in making decisions in the award of any order.

- (b) Awardees need not be given a fair opportunity to be considered for a particular order in excess of \$2,500.00 under this contract if the Contracting Officer determines that:
- (1) the agency need for the supplies or services is of such urgency that providing a fair opportunity would result in unacceptable delays;
- (2) only one contractor is capable of providing the supplies or services required at the level of quality required because the supplies or services ordered are unique or highly specialized;
- (3) the order must be issued on a sole-source basis in the interest of economy and efficiency as a logical follow-on to an order already issued under the contract, provided that all awardees were given a fair opportunity to be considered for the original order; or

| CONTINUATION SHEET PIIN/SIIN W56HZV-04-D-0211 MOD/AMD | of 49 |
|--|--------------|
| TH VOIL | |

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

- (4) it is necessary to place an order to satisfy a minimum guarantee.
- (c) Task orders or delivery orders are not subject to protest under FAR Subpart 33.1, unless the order increases the scope, period, or maximum value of the contract. However, concerns with the award of orders can be brought to the attention of the TACOM Ombudsperson, Ms. LaRuth Shepherd (TACOM-Warren, Michigan), AMSTA-AQ-C, (586) 574-6597.

[End of clause]

H-20 52.246-4026 LOCAL ADDRESSES FOR DD FORM 250 JAN/2002 (TACOM)

- (a) The contractor must provide a copy of each Material Inspection and Receiving Report (DD 250) pertaining to this contract, to the addresses given below, using either of the following methods:
 - (1) Our first preference is for you to use electronic mail (e-mail), using the following e-mail address: DD250@tacom.army.mil
- (2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number: (586) 574-5527 and use "DD250 mailbox" in the "to:" block of your fax cover or header sheet.

In either method, do not mix DD250s from more than one contract in a single transmmission. That is, you may submit multiple DD250s in a single transmission, but they must all be against the same contract.

- (b) These copies meet the requirements for the Purchasing Office copy and the Army Inventory Control Manager copy listed in tables 1 and 2 of DFARS Appendix F.
 - (c) The DD250 form may be found, in three different formats, on the World Wide Web at http://webl.whs.osd.mil/icdhome/DD-0999.htm

| | | _ | |
|--------|-----------|---|-------|
| CONTIN | ITTA TITA | | |
| | WALK | | SHEEL |

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 38 of 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

SECTION I - CONTRACT CLAUSES

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this address: http://farsite.hill.af.mil/

| | Regulatory Cite | Title | Date |
|------|-----------------|--|----------|
| I-1 | 52.202-1 | DEFINITIONS | DEC/2001 |
| I-2 | 52.203-3 | GRATUITIES | APR/1984 |
| I-3 | 52.203-5 | COVENANT AGAINST CONTINGENT FEES | APR/1984 |
| I-4 | 52.203-6 | RESTRICTIONS ON SUBCONTRACTOR SALES TO THE GOVERNMENT | JUL/1995 |
| I-5 | 52.203-7 | ANTI-KICKBACK PROCEDURES | JUL/1995 |
| I-6 | 52.203-8 | CANCELLATION, RESCISSION AND RECOVERY OF FUNDS FOR ILLEGAL OR IMPROPER ACTIVITY | JAN/1997 |
| I-7 | 52.203-10 | PRICE OR FEE ADJUSTMENT FOR ILLEGAL OR IMPROPER ACTIVITY | JAN/1997 |
| I-8 | 52.203-12 | LIMITATION ON PAYMENTS TO INFLUENCE CERTAIN FEDERAL TRANSACTIONS | JUN/2003 |
| I-9 | 52.204-4 | PRINTING/COPYING DOUBLE-SIDED ON RECYCLED PAPER | AUG/2000 |
| I-10 | 52.209-6 | PROTECTING THE GOVERNMENT'S INTEREST WHEN SUBCONTRACTING WITH CONTRACTORS DEBARRED, SUSPENDED, OR PROPOSED FOR DEBARMENT | JUL/1995 |
| I-11 | 52.211-5 | MATERIAL REQUIREMENTS | AUG/2000 |
| I-12 | 52.215-2 | AUDIT AND RECORDS - NEGOTIATIONS | JUN/1999 |
| I-13 | 52.215-8 | ORDER OF PRECEDENCEUNIFORM CONTRACT FORMAT | OCT/1997 |
| I-14 | 52.215-11 | PRICE REDUCTION FOR DEFECTIVE COST OR PRICING DATAMODIFICATIONS | OCT/1997 |
| I-15 | 52.215-13 | SUBCONTRACTOR COST OR PRICING DATA MODIFICATIONS | OCT/1997 |
| I-16 | 52.215-14 | INTEGRITY OF UNIT PRICES | OCT/1997 |
| I-17 | 52.215-15 | PENSION ADJUSTMENTS AND ASSET REVERSIONS | JAN/2004 |
| I-18 | 52.215-18 | REVERSION OR ADJUSTMENT OF PLANS FOR POSTRETIREMENT BENEFITS (PRB) OTHER THAN PENSIONS | OCT/1997 |
| I-19 | 52.215-19 | NOTIFICATION OF OWNERSHIP CHANGES | OCT/1997 |
| I-20 | 52.219-8 | UTILIZATION OF SMALL BUSINESS CONCERNS | OCT/2000 |
| I-21 | 52.219-9 | SMALL BUSINESS SUBCONTRACTING PLAN | JAN/2002 |
| I-22 | 52.219-16 | LIQUIDATED DAMAGES - SUBCONTRACTING PLAN | JAN/1999 |
| I-23 | 52.222-1 | NOTICE TO THE GOVERNMENT OF LABOR DISPUTES | FEB/1997 |
| I-24 | 52.222-19 | CHILD LABORCOOPERATION WITH AUTHORITIES AND REMEDIES | JAN/2004 |
| I-25 | 52.222-20 | WALSH-HEALEY PUBLIC CONTRACTS ACT | DEC/1996 |
| I-26 | 52.222-21 | PROHIBITION OF SEGREGATED FACILITIES | FEB/1999 |
| I-27 | 52.222-26 | EQUAL OPPORTUNITY | APR/2002 |
| I-28 | 52.222-35 | AFFIRMATIVE ACTION FOR DISABLED VETERANS AND VETERANS OF THE VIETNAM ERA | DEC/2001 |
| I-29 | 52.222-36 | AFFIRMATIVE ACTION FOR WORKERS WITH DISABILITIES | JUN/1998 |
| I-30 | 52.222-37 | EMPLOYMENT REPORTS ON SPECIAL DISABLED VETERANS, VETERANS OF THE VIETNAM ERA, AND OTHER ELIGIBLE VETERANS | DEC/2001 |
| I-31 | 52.223-6 | DRUG FREE WORKPLACE | MAY/2001 |
| I-32 | 52.223-14 | TOXIC CHEMICAL RELEASE REPORTING | AUG/2003 |
| I-33 | 52.225-8 | DUTY-FREE ENTRY | FEB/2000 |
| I-34 | 52.225-13 | RESTRICTIONS ON CERTAIN FOREIGN PURCHASES | JAN/2004 |
| I-35 | 52.226-1 | UTILIZATION OF INDIAN ORGANIZATIONS AND INDIAN-OWNED ECONOMIC ENTERPRISES | JUN/2000 |
| I-36 | 52.227-1 | AUTHORIZATION AND CONSENT | JUL/1995 |
| I-37 | 52.227-2 | NOTICE AND ASSISTANCE REGARDING PATENT AND COPYRIGHT INFRINGEMENT | AUG/1996 |
| I-38 | 52.227-3 | PATENT INDEMNITY | APR/1984 |
| I-39 | 52.229-3 | FEDERAL, STATE, AND LOCAL TAXES | APR/2003 |
| I-40 | 52.230-2 | COST ACCOUNTING STANDARDS | APR/1998 |
| I-41 | 52.230-6 | ADMINISTRATION OF COST ACCOUNTING STANDARDS | NOV/1999 |
| I-42 | 52.232-1 | PAYMENTS | APR/1984 |
| I-43 | 52.232-8 | DISCOUNTS FOR PROMPT PAYMENT | FEB/2002 |
| I-44 | 52.232-9 | LIMITATION ON WITHHOLDING OF PAYMENTS | APR/1984 |
| I-45 | 52.232-11 | EXTRAS | APR/1984 |
| I-46 | 52.232-17 | INTEREST | JUN/1996 |
| I-47 | 52.232-23 | ASSIGNMENT OF CLAIMS | JAN/1986 |
| I-48 | 52.232-25 | PROMPT PAYMENT | OCT/2003 |
| I-49 | 52.232-33 | PAYMENT BY ELECTRONIC FUNDS TRANSFERCENTRAL CONTRACTOR REGISTRATION | OCT/2003 |

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 39 of 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

| | Regulatory Cite | Title | Date |
|------|-----------------|---|----------|
| I-50 | 52.233-1 | DISPUTES | JUL/2002 |
| I-51 | 52.233-3 | PROTEST AFTER AWARD | AUG/1996 |
| I-52 | 52.242-10 | F.O.B. ORIGINGOVERNMENT BILLS OF LADING OR PREPAID POSTAGE | APR/1984 |
| I-53 | 52.242-12 | REPORT OF SHIPMENT (REPSHIP) | JUN/2003 |
| I-54 | 52.242-13 | BANKRUPTCY | JUL/1995 |
| I-55 | 52.243-1 | CHANGESFIXED-PRICE | AUG/1987 |
| I-56 | 52.243-7 | NOTIFICATION OF CHANGES | APR/1984 |
| I-57 | 52.244-5 | COMPETITION IN SUBCONTRACTING | DEC/1996 |
| I-58 | 52.246-23 | LIMITATION OF LIABILITY | FEB/1997 |
| I-59 | 52.247-1 | COMMERCIAL BILL OF LADING NOTATIONS the notation set forth in | APR/1984 |
| | | paragraph (a) of the clause applies in this contract. The agency | |
| | | name in line one of the notation shall read:US ARMY TANK-AUTOMOTIVE & | |
| | | ARMAMENTS COMMAND | |
| I-60 | 52.248-1 | VALUE ENGINEERING | FEB/2000 |
| I-61 | 52.249-2 | TERMINATION FOR CONVENIENCE OF THE GOVERNMENT (FIXED-PRICE) | SEP/1996 |
| I-62 | 52.249-8 | DEFAULT (FIXED-PRICE SUPPLY AND SERVICE) | APR/1984 |
| I-63 | 52.253-1 | COMPUTER GENERATED FORMS | JAN/1991 |
| I-64 | 252.203-7001 | PROHIBITION ON PERSONS CONVICTED OF FRAUD OR OTHER DEFENSE CONTRACT- | MAR/1999 |
| | | RELATED FELONIES | |
| I-65 | 252.204-7003 | CONTROL OF GOVERNMENT PERSONNEL WORK PRODUCT | APR/1992 |
| I-66 | 252.209-7000 | ACQUISITION FROM SUBCONTRACTORS SUBJECT TO ON-SITE INSPECTION UNDER | NOV/1995 |
| | | THE INTERMEDIATE-RANGE NUCLEAR FORCES (INF) TREATY | |
| I-67 | 252.209-7004 | SUBCONTRACTING WITH FIRMS THAT ARE OWNED OR CONTROLLED BY THE | MAR/1998 |
| | | GOVERNMENT OF A TERRORIST COUNTRY per DoD interim rule, Federal | |
| | | Register 27 Mar 98 | |
| I-68 | 252.211-7005 | SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS | FEB/2003 |
| I-69 | 252.215-7000 | PRICING ADJUSTMENTS | DEC/1991 |
| I-70 | 252.219-7003 | SMALL, SMALL DISADVANTAGED AND WOMEN-OWNED SMALL BUSINESS | APR/1996 |
| | | SUBCONTRACTING PLAN (DOD CONTRACTS) | |
| I-71 | 252.225-7012 | PREFERENCE FOR CERTAIN DOMESTIC COMMODITIES | FEB/2003 |
| I-72 | 252.225-7014 | PREFERENCE FOR DOMESTIC SPECIALTY METALS (ALT 1) | APR/2003 |
| I-73 | 252.225-7016 | RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS | MAY/2004 |
| I-74 | 252.225-7025 | RESTRICTION ON ACQUISITION OF FORGINGS | APR/2003 |
| I-75 | 252.225-7031 | SECONDARY ARAB BOYCOTT OF ISRAEL | APR/2003 |
| I-76 | 252.226-7001 | UTILIZATION OF INDIAN ORGANIZATIONS AND INDIAN-OWNED ECONOMIC | SEP/2001 |
| | | ENTERPRISES | |
| I-77 | 252.227-7013 | RIGHTS IN TECHNICAL DATANONCOMMERCIAL ITEMS | NOV/1995 |
| I-78 | 252.227-7016 | RIGHTS IN BID OR PROPOSAL INFORMATION | JUN/1995 |
| I-79 | 252.227-7017 | IDENTIFICATION AND ASSERTION OF USE, RELEASE, OR DISCLOSURE | JUN/1995 |
| | | RESTRICTIONS | |
| I-80 | 252.227-7030 | TECHNICAL DATAWITHHOLDING OF PAYMENT | MAR/2000 |
| I-81 | 252.242-7003 | APPLICATION FOR U.S. GOVERNMENT SHIPPING DOCUMENTATION/INSTRUCTIONS | DEC/1991 |
| I-82 | 252.243-7001 | PRICING OF CONTRACT MODIFICATIONS | DEC/1991 |
| I-83 | 252.244-7000 | SUBCONTRACTS FOR COMMERCIAL ITEMS AND COMMERCIAL COMPONENTS (DoD | MAR/2000 |
| | | CONTRACTS) | |
| | | | |
| I-84 | 52.209-1 | QUALIFICATION REQUIREMENTS | FEB/1995 |

⁽a) Definition: <u>Qualification requirement</u>, as used in this clause, means a Government requirement for testing or other quality assurance demonstration that must be completed before award.

⁽b) One or more qualification requirements apply to the supplies or services covered by this contract. For those supplies or services requiring qualification, whether the covered product or service is an end item under this contract or simply a component of an end item, the product, manufacturer, or source must have demonstrated that it meets the standards prescribed for qualification before award of this contract. The product, manufacturer, or source must be qualified at the time of award whether or not the name of the product, manufacturer, or source is actually included on a qualified products list, qualified manufacturers list, or qualified bidders list. Offerors should contact the agency activity designated below to obtain all requirements that they or their products or services, or their subcontractors or their products or services, must satisfy to become qualified and to arrange for an opportunity to demonstrate their abilities to meet the standards specified for qualification.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 40 of 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

(Address)

(c) If an offeror, manufacturer, source, product or service covered by a qualification requirement has already met the standards specified, the relevant information noted below should be provided.

| Offeror's Name | | |
|---------------------|-------------|----------------------|
| Manufacturer's Name | | |
| Source's Name | | |
| Item Name | | |
| Service | | |
| Identification | Test Number | (to the extent known |

- (d) Even though a product or service subject to a qualification requirement is not itself an end item under this contract, the product, manufacturer, or source must nevertheless be qualified at the time of award of this contract. This is necessary whether the Contractor or a subcontractor will ultimately provide the product or service in question. If, after award, the Contracting Officer discovers that an applicable qualification requirement was not in fact met at the time of award, the Contracting Officer may either terminate this contract for default or allow performance to continue if adequate consideration is offered and the action is determined to be otherwise in the Government's best interests.
- (e) If an offeror, manufacturer, source product or service has met the qualification requirement but is not yet on a qualified products list, qualified manufacturers list, or qualified bidders list, the offeror must submit evidence of qualification prior to award of this contract. Unless determined to be in the Government's interest, award of this contract shall not be delayed to permit an offeror to submit evidence of qualification.
- (f) Any change in location or ownership of the plant where a previously qualified product or service was manufactured or performed requires reevaluation of the qualification. Similarly, any change in location or ownership of a previously qualified manufacturer or source requires reevaluation of the qualification. The reevaluation must be accomplished before the date of award.

[End of Clause]

I-85 52.215-21

REQUIREMENTS FOR COST OR PRICING DATA OR INFORMATION OTHER THAN COST OR PRICING DATA--MODIFICATIONS ```(ALTERNATE III (OCT 1997))

OCT/199

- (a) Exceptions from cost or pricing data.
- (1) In lieu of submitting cost or pricing data for modifications under this contract, for price adjustments expected to exceed the threshold set forth at FAR 15.403-4 on the date of the agreement on price or the date of the award, whichever is later, the Contractor may submit a written request for exception by submitting the information described in the following subparagraphs. The Contracting Officer may require additional supporting information, but only to the extent necessary to determine whether an exception should be granted, and whether the price is fair and reasonable--
- (i) Identification of the law or regulation establishing the price offered. If the price is controlled under law by periodic rulings, reviews, or similar actions of a governmental body, attach a copy of the controlling document, unless it was previously submitted to the contracting office.
 - (ii) Information on modifications of contracts of subcontracts for commercial items.
 - (A) If--
 - (1) the original contract or subcontract was granted an exception from cost or pricing data requirements because the price agreed upon was based on adequate price competition, or prices set by law or regulation, or was a contract or subcontract for the acquisition of a commercial item, and
 - (2) the modification (to the contract or subcontract) is not exempted based on one of these exceptions, then the Contractor may provide information to establish that the modification would not change the contract or subcontract from a contract or subcontract for the acquisition of a commercial item to a contract or subcontract for the accquisition of an item other than a commercial item.
 - (B) For a commercial item exception, the Contractor shall provide, at a minimum, information on prices at which the same item or similar items have previously been sold that is adequate for evaluating the reasonableness of the price of the modification. Such information may include—

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 41 of 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

- (1) For catalog items, a copy of or identification of the catalog and its date, or the appropriate pages for the offered items, or a statement that the catalog is on file in the buying office to which the proposal is being submitted. Provide a copy or describe current discount policies and price lists (published or unpublished), e.g., wholesale, original equipment manufacturer, or reseller. Also explain the basis of each offered price and its relationship to the established catalog price, including how the proposed price relates to the price or recent sales in quantities similar to the proposed quantities.
- (2) For market-priced items, the source and date or period of the market quotation or other basis for market price, the base amount, and applicable discounts. In addition, describe the nature of the market
- (3) For items included on an active Federal Supply Service Multiple Award Schedule contract, proof that an exception has been granted for the schedule item.
- (4) The Contractor grants the Contracting Officer or an authorized representative the right to examine, at any time before award, books, records, documents, or other directly pertinent records to verify any request for an exception under this clause, and the reasonableness of price. For items priced using catalog or market prices, or law or regulation, access does not extend to cost or profit information or other data relevant solely to the Contractor's determination of the prices to be offered in the catalog or marketplace.
- (b) Requirements for cost or pricing data. If the Contractor is not granted an exception from the requirement to submit cost or pricing data, the following applies:
 - (1) The Contractor shall submit cost or pricing data and supporting attachments in accordance with Table 15-2 of FAR 15.408.
- (2) As soon as practicable after agreement on price, but before contract award (except for unpriced actions), the Contractor shall submit a Certificate of Current Cost or Pricing Data, as prescribed by FAR 15.406-2.
- (c) Submit the cost portion of the proposal via the following electronic media: ELECTRONIC SPREADSHEET FILES COMPATIBLE WITH MS-DOS/WINDOWS VERSIONS EXCEL 5.0 OR EARLIER WITH *.xls, *.wbl, or *.wk3 THE PREFERRED FORMATS.

[End of Clause]

I-86 52.216-22 INDEFINITE QUANTITY

OCT/1995

- (a) This is an indefinite-quantity contract for the supplies or services specified, and effective for the period stated, in the Schedule. The quantities of supplies and services specified in the Schedule are estimates only and are not purchased by this contract.
- (b) Delivery or performance shall be made only as authorized by orders issued in accordance with the ORDERING clause. The Contractor shall furnish to the Government, when and if ordered, the supplies or services specified in the Schedule up to and including the quantity designated in the Schedule as the <u>maximum</u>. The Government shall order at least the quantity of supplies or services designated in the Schedule as the <u>minimum</u>.
- (c) Except for any limitations on quantities in the ORDER LIMITATIONS clause or in the Schedule, there is no limit on the number of orders that may be issued. The Government may issue orders requiring delivery to multiple destinations or performance at multiple locations.
- (d) Any order issued during the effective period of this contract and not completed by the Contractor within that period shall be completed by the Contractor within the time specified in the order. The contract shall govern the Contractor's and Government's rights and obligations with respect to that order to the same extent as if the order were completed during the contract's effective period; provided, that the Contractor shall not be required to make any deliveries under this contract after FOUR AND ONE HALF (4 1/2) YEARS AFTER CONTRACT AWARD.

[End of Clause]

I-87 52.219-4 NOTICE OF PRICE EVALUATION FOR HUBZONE SMALL BUSINESS CONCERNS

JAN/1999

(a) Definition. HUBZone small business concern, as used in this clause, means a small business concern that appears on the List of Qualified HUBZone Small Business Concerns maintained by the Small Business Administration.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211 MOD/AMD

Page 42 of 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

- (b) Evaluation preference.
 - (1) Offers will be evaluated by adding a factor of 10 percent to the price of all offers, except-
 - (i) Offers from HUBZone small business concerns that have not waived the evaluation preference;
 - (ii) Otherwise successful offers from small business concerns;
- (iii) Otherwise successful offers of eligible products under the Trade Agreements Act when the dollar threshold for application of the Act is exceeded (see 25.402 of the Federal Acquisition Regulation (FAR)); and
- (iv) Otherwise successful offers where application of the factor would be inconsistent with a Memorandum of Understanding or other international agreement with a foreign government.
- (2) The factor of 10 percent shall be applied on a line item basis or to any group of items on which award may be made. Other evaluation factors described in the solicitation shall be applied before application of the factor.
- (3) A concern that is both a HUBZone small business concern and a small disadvantaged business concern will receive the benefit of both the HUBZone small business price evaluation preference and the small disadvantaged business price evaluation adjustment (see FAR clause 52.219-23). Each applicable price evaluation preference or adjustment shall be calculated independently against an offeror's base offer. These individual preference amounts shall be added together to arrive at the total evaluated price for that offer.
- (c) Waiver of evaluation preference. A HUBZone small business concern may elect to waive the evaluation preference, in which case the factor will be added to its offer for evaluation purposes. The agreements in paragraph (d) of this clause do not apply if the offeror has waived the evaluation preference.
 - [] Offer elects to waive the evaluation preference.
 - (d) Agreement. A HUBZone small business concern agrees that in the performance of the contract, in the case of a contract for
- (1) Services (except construction), at least 50 percent of the cost of personnel for contract performance will be spent for employees of the concern or employees of other HUBZone small business concerns;
- (2) Supplies (other than procurement from a nonmanufacturer of such supplies), at least 50 percent of the cost of manufacturing, excluding the cost of materials, will be performed by the concern or other HUBZone small business concerns;
- (3) General construction, at least 15 percent of the cost of the contract performance incurred for personnel will be spent on the concern's employees or the employees of other HUBZone small business concerns; or
- (4) Construction by special trade contractors, at least 25 percent of the cost of the contract performance incurred for personnel will be spent on the concern's employees or the employees of other HUBZone small business concerns.
- (e) A HUBZone joint venture agrees that in the performance of the contract, the applicable percentage specified in paragraph (d) of this clause will be performed by the HUBZone small business participant or participants;
- (f) A HUBZone small business concern nonmanufacturer agrees to furnish in performing this contract only end items manufactured or produced by HUBZone small business manufacturer concerns. This paragraph does not apply in connection with construction or service contracts

| I-88 | 52.223-3 | HAZARDOUS MATERIAL | IDENTIFICATION AND N | MATERIAL SAFETY DATA | JAN/199 | 7 |
|-----------|-------------------------|-----------------------|-----------------------|----------------------|-------------------------|--------------------|
| (a) | Hazardous material | , as used in this | clause, includes any | y material defined a | s hazardous under the l | atest version of |
| Federal S | tandard No. 313 (includ | ding revisions adopte | ed during the term of | f the contract). | (b) The offeror must | list any hazardous |
| material, | as defined in paragrap | ph (a) of this clause | e, to be delivered un | nder this contract. | The hazardous material | shall be properly |
| identifie | d and include any appl | icable identification | n number, such as Nat | tional Stock Number | or Special Item Number. | This information |
| shall als | o be included on the Ma | aterial Safety Data S | Sheet submitted under | this contract. | | |

| Material | Identification No. |
|------------------------|--------------------|
| (If none, insert None) | |
| | |
| | |
| | |
| | |

Reference No. of Document Being Continued

MOD/AMD

Page 43 of 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

(c) This list must be updated during performance of the contract whenever the Contractor determines that any other material to be delivered under this contract is hazardous.

PIIN/SIIN W56HZV-04-D-0211

- (d) The apparently successful offeror agrees to submit, for each item as required prior to award, a Material Safety Data Sheet, meeting the requirements of 29 CFR 1910.1200(g) and the latest version of Federal Standard No. 313, for all hazardous material identified in paragraph (b) of this clause. Data shall be submitted in accordance with Federal Standard No. 313, whether or not the apparently successful offeror is the actual manufacturer of these items. Failure to submit the Material Safety Data Sheet prior to award may result in the apparently successful offeror being considered nonresponsible and ineligible for award.
- (e) If, after award, there is a change in the composition of the item(s) or a revision to Federal Standard No. 313, which renders incomplete or inaccurate the data submitted under paragraph (d) of this clause, the Conractor shall promptly notify the Contracting Officer and resubmit the data.
- (f) Neither the requirements of this clause nor any act or failure to act by the Government shall relieve the Contractor of any responsibility or liability for the safety of Government, Contractor, or subcontractor personnel or property.
- (g) Nothing contained in this clause shall relieve the Contractor from complying with applicable Federal, State, and local laws, codes, ordinances, and regulations (including the obtaining of licenses and permits) in connection with hazardousmaterial.
 - (h) The Governments rights in data furnished under this contract with respect to hazardous material are as follows;
 - (1) To use, duplicate and disclose any data to which this clause is applicable. The purposes of this right are to-
- (i) Apprise personnel of the hazards to which they may be exposed in using, handling, packaging, transporting, or disposing of hazardous materials;
 - (ii) Obtain medical treatment for those affected by the material; and
 - (iii) Have others use, duplicate, and disclose the data for the Government for these purposes.
- (2) To use, duplicate, and disclose data furnished under this clause, in accordance with subparagraph (h)(1) of this clause, in precedence over any other clause of this contract providing for rights in data.
 - (3) The Government is not precluded from using similar or identical data acquired from other sources. (End of clause)

I-89 52.223-11 OZONE-DEPLETING SUBSTANCES

MAY/2001

- (a) Definition. Ozone-depleting substance, as used in this clause, means any substance the Evironnmental Protection Agency designates in 40 CFR part 82 as--
 - (1) Class I, including, but not limited to, chlorofluorocarbons, halons, carbon tetrachloride, and methyl chloroform; or
 - (2) Class II, including but not limited to, hydrochlorofluorocarbons.
- (b) The Contractor shall label products which contain or are manufactured with ozone-depleting substances in the manner and to the extent required by 42 U.S.C. 7671j(b), (c), and (d) and 40 CFR Part 82, Subpart E, as follows:

WARNING: Contains (or manufactured with, if applicable) ______ * _____, a substance(s which harm(s) public health and environment by destroying ozone in the upper atmosphere.

*The Contractor shall insert the name of the substance(s).

[End of Clause]

I-90 52.244-6 SUBCONTRACTS FOR COMMERCIAL ITEMS AND COMMERCIAL COMPONENTS APR/2003

- (a) Definitions. As used in this clause--
 - (1) "Commercial item," as used in this clause, has the meaning contained in the clause at 52.202-1, Definitions.

| CONTINUATION SHEET | Reference No. of Document Being Continued | | | | |
|--------------------|---|---------|--|--|--|
| | PIIN/SIIN W56HZV-04-D-0211 | MOD/AMD | | | |

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

- (2) "Subcontract," as used in this clause, includes a transfer of commercial items between divisions, subsidiaries, or affiliates of the Contractor or subcontractor at any tier.
- (b) To the maximum extent practicable, the Contractor shall incorporate, and require its subcontractors at all tiers to incorporate, commercial items or nondevelopmental items as components of items to be supplied under this contract.

(c)

- (1) The contractor shall insert the following clauses in subcontracts for commercial items:
- (i) 52.219-8, Utilization of Small Business Concerns (OCT 2000)(15U.S.C. 637(d)(2) and (3)), in all subcontracts that offer subcontracting opportunities. If the subcontract (except subcontracts to small business concerns) exceeds \$500,000 (\$1,000,000 for contruction of any public facility), the subcontractor must include 52.219-8 in lower tier subcontracts that offer subcontracting opportunities.
 - (ii) 52.222-26, Equal Opportunity (APR 2002)(E.O. 11246);
- (iii) 52.222-35, Equal Opportunity for Special Disabled Veterans, Veterans of the Vietnam Era, and Other Eligible Veterans (Dec 2001) (38 U.S.C. 4212(a));
 - (iv) 52.222-36, Affirmative Action for Workers with Disabilities (JUN 1998)(29 U.S.C. 793);
- (v) 52.247-64, Preference for Privately Owned U.S.-Flag Commercial Vessels (APR 2003) (46 U.S.C. Appx 1241 and 10 U.S.C. 2631) (flow down required in accordance with paragraph (d) of FAR clause 52.247-64).
- (2) While not required, the Contractor may flow down to subcontracts for commercial items a minimum number of additional clauses necessary to satisfy its contractual obligations.
- (d) The Contractor shall include the terms of this clause, including this paragraph (d), in subcontracts awarded under this contract.

[End of Clause]

T-91 52.252-6 AUTHORIZED DEVIATIONS IN CLAUSES

APR/1984

Page 44 of 49

- (a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the date of the clause.
- (b) The use in this solicitation or contract of any DoD FAR Supplement (DFARS) (48 CFR 2) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the name of the regulation.

[End of Clause]

I-92 252.204-7004 ALTERNATE A

NOV/2003

As prescribed in 204.1104, substitute the following paragraph (a) for paragraph (a) of the clause at FAR 52.204-7:

- (a) Definitions. As used in this clause--
- "Central Contractor Registration (CCR) database" means the primary Government repository for contractor information required for the conduct of business with the Government.

"Commercial and Government Entity (CAGE) code" means--

- (1) A code assigned by the Defense Logistics Information Service (DLIS) to identify a commercial or Government entity; or
- (2) A code assigned by a member of the North Atlantic Treaty Organization that DLIS records and maintains in the CAGE master file. This type of code is known as an "NCAGE code."
- "Data Universal Numbering System (DUNS) number" means the 9-digit number assigned by Dun and Bradstreet, Inc. (D&B) to identify unique business entities.

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 45 of 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

"Data Universal Numbering System +4 (DUNS+4) number" means the DUNS number assigned by D&B plus a 4-character suffix that may be assigned by a business concern. (D&B has no affiliation with this 4-character suffix.) This 4-character suffix may be assigned at the discretion of the business concern to establish additional CCR records for identifying alternative Electronic Funds Transfer (EFT) accounts (see Subpart 32.11 of the Federal Acquisition Regulation) for the same parent concern.

"Registered in the CCR database" means that-

- (1) The Contractor has entered all mandatory information, including the DUNS number or the DUNS+4 number, into the CCR database;
 - (2) The Contractor's CAGE code is in the CCR database; and
 - (3) The Government has validated all mandatory data fields and has marked the records "Active."

[End of Clause]

I-93 252.247-7023 TRANSPORTATION OF SUPPLIES BY SEA

MAY/2002

- (a) Definitions. As used in this clause--
- (1) <u>Components</u> means articles, materials, and supplies incorporated directly into end products at any level of manufacture, fabrication, or assembly by the Contractor or any subcontractor.
 - (2) Department of Defense (DoD) means the Army, Navy, Air Force, Marine Corps, and defense agencies.
 - (3) Foreign flag vessel means any vessel that is not a U.S.-flag vessel.
 - (4) Ocean transportation means any transportation aboard a ship, vessel, boat, barge, or ferry through international waters.
- (5) <u>Subcontractor</u> means a supplier, materialman, distributor, or vendor at any level below the prime contractor whose contractual obligation to perform results from, or is conditioned upon, award of the prime contract and who is performing any part of the work or other requirement of the prime contract. However, effective May 1, 1996, the term does not include a supplier, materialman, distributor, or vendor of commercial items or commercial components.
- (6) <u>Supplies</u> means all property, except land and interests in land, that is clearly identifiable for eventual use by or owned by the DoD at the time of transportation by sea.
- (i) An item is clearly identifiable for eventual use by the DoD if, for example, the contract documentation contains a reference to a DoD contract number or a military destination.
- (ii) <u>Supplies</u> includes (but is not limited to) public works; buildings and facilities; ships; floating equipment and vessels of every character, type, and description, with parts, subassemblies, accessories, and equipment; machine tools; material; equipment; stores of all kinds; end items; construction materials; and components of the foregoing.
- (7) <u>U.S.-flag vessel</u> means a vessel of the United States or belonging to the United States, including any vessel registered or having national status under the laws of the United States.

(b)

- (1) The Contractor shall use U.S.-flag vessels when transporting any supplies by sea under this contract.
- (2) A subcontractor transporting supplies by sea under this contract shall use U.S.-flag vessels if-
 - (i) This contract is a construction contract; or
 - (ii) The supplies being transported are-
 - (A) Noncommercial items; or
 - (B) Commercial items that-
 - (1) The Contractor is reselling or distributing to the Government without adding value (generally, the Contractor does not add value to items that it subcontracts for f.o.b. destination

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 46 of 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

shipment)

- (2) Are shipped in direct support of U.S. military contingency operations, exercises, or forces deployed in humanitarian or peacekeeping operations; or
- (3) Are commissary or exchange cargoes transported outside of the Defense Transportation System in accordance with 10 U.S.C. 2643.
- (c) The Contractor and its subcontractors may request that the Contracting Officer authorize shipment in foreign-flag vessels, or designate available U.S.-flag vessels, if the Contractor or a subcontractor believes that--
 - (1) U.S.-flag vessels are not available for timely shipment;
 - (2) The freight charges are inordinately excessive or unreasonable; or
 - (3) Freight charges are higher than charges to private persons for transportation of like goods.
- (d) The Contractor must submit any request for use of other than U.S.-flag vessels in writing to the Contracting Officer at least 45 days prior to the sailing date necessary to meet its delivery schedules. The Contracting Officer will process requests submitted after such date(s) as expeditiously as possible, but the Contracting Officer's failure to grant approvals to meet the shipper's sailing date will not of itself constitute a compensable delay under this or any other clause of this contract. Requests shall contain at a minimum--
 - (1) Type, weight, and cube of cargo;
 - (2) Required shipping date;
 - (3) Special handling and discharge requirements;
 - (4) Loading and discharge points;
 - (5) Name of shipper and consignee;
 - (6) Prime contract number; and
- (7) A documented description of efforts made to secure U.S.-flag vessels, including points of contact (with names and telephone numbers) with at least two U.S.-flag carriers contacted. Copies of telephone notes, telegraphic and facsimile message or letters will be sufficient for this purpose.
- (e) The Contractor shall, within 30 days after each shipment covered by this clause, provide the Contracting Officer and the Division of National Cargo, Office of Market Development, Maritime Administration, U.S. Department of Transportation, Washington, DC 20590, one copy of the rated on board vessel operating carrier's ocean bill of lading, which shall contain the following information-
 - (1) Prime contract number;
 - (2) Name of vessel;
 - (3) Vessel flag of registry;
 - (4) Date of loading;
 - (5) Port of loading;
 - (6) Port of final discharge;
 - (7) Description of commodity;
 - (8) Gross weight in pounds and cubic feet if available;
 - (9) Total ocean freight in U.S. dollars; and
 - (10) Name of the steamship company.
- (f) The Contractor shall provide with its final invoice under this contract a representation that to the best of its knowledge and belief--

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211 MOD/AMD

Name of Offeror or Contractor: Soltam Systems Ltd.

(1) No ocean transportation was used in the performance of this contract;

CONTINUATION SHEET

- (2) Ocean transportation was used and only U.S.-flag vessels were used for all ocean shipments under the contract;
- (3) Ocean transportation was used, and the Contractor had the written consent of the Contracting Officer for all non-U.S.-flag ocean transportation; or
- (4) Ocean transportation was used and some or all of the shipments were made on non-U.S.-flag vessels without the written consent of the Contracting Officer. The Contractor shall describe these shipments in the following format:

ITEM CONTRACT

DESCRIPTION LINE ITEMS QUANTITY TOTAL

- (g) If the final invoice does not include the required representation, the Government will reject and return it to the Contractor as an improper invoice for the purposes of the Prompt Payment clause of this contract. In the event there has been unauthorized use of non-U.S.-flag vessels in the performance of this contract, the Contracting Officer is entitled to equitably adjust the contract, based on the unauthorized use.
- (h) In the award of subcontracts for the types of supplies described in paragraph (b)(2) of this clause, the Contractor shall flow down the requirements of this clause as follows:
- (1) The Contractor shall insert the substance of this clause, including this paragraph (h) in all subcontracts that exceed the simplified acquisition threshold in Part 2 of the Federal Acquisition Regulation.
- (2) The Contractor shall insert the substance of paragraphs (a) through (e) of this clause, and this paragraph (h), in subcontracts that are at or below the simplified acquisition threshold in Part 2 of the Federal Acquisition Regulation.

[End of Clause]

I-94 252.248-7000 PREPARATION OF VALUE ENGINEERING CHANGE PROPOSALS MAY/1994

Prepare Value Engineering Change Proposals, for submission pursuant to the VALUE ENGINEERING clause of this contract, in the format prescribed by the version of MIL-STD-973 in effect on the date of contract award.

[End of Clause]

I-95 52.204-4009 MANDATORY USE OF CONTRACTOR TO GOVERNMENT ELECTRONIC COMMUNICATION JUN/1999 (TACOM)

- (a) All references in the contract to the submission of written documentation shall mean electronic submission. All electronic submissions shall be in the formats and media described in the "Electronic Quotations/Offers/Bids Required in Response to this Request for Quotations/Proposals/Bids" clause elsewhere in this document. (See Section K for commercial acquisitions, Section L for RFPs, and Section I for RFOs.)
- (b) This shall include all written unclassified communications between the Government and the Contractor except contract awards and contract modifications which shall be posted on the internet. Return receipt shall be used if a commercial application is available. Classified information shall be handled in full accordance with the appropriate security requirements.
- (c) In order to be contractually binding, all Government communications requiring a Contracting Officer signature must be sent from the Contracting Officer's e-mail address. The Contractor shall designate the personnel with signature authority who can contractually bind the contractor. All binding contractor communication shall be sent from this contractor e-mail address(es).
- (d) Upon award, the Contractor shall provide the Contracting Officer with a list of e-mail addresses for all administrative and technical personnel assigned to this contract.
- (e) Unless exempted by the Procuring Contracting Officer in writing, all unclassified written communication after contract award shall be transmitted electronically.

[End of Clause]

Page 47 of 49

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-D-0211

MOD/AMD

Page 48 of 49

Name of Offeror or Contractor: SOLTAM SYSTEMS LTD.

(TACOM)

- (a) The offeror is required to complete subparagraph (b)(1), (2), and (3), of this clause, for each part or component, including all of its packaging. This information will be used by the Government to perform logistics management functions such as providing item sustainment, planning (e.g. estimating storage costs), and redistribution. You are not liable if you give us wrong information, however since the DOD uses this data in-house in existing data bases and because this information may be used in contingency planning it, we request that the information provided be as accurate as possible.
- (b) Definitions of terms commonly used in the packaging and distribution environments are defined in ASTM D996 and should be consulted if any term used herein is in question.
 - (1) Unit Package:
- (i) Specify the type of UNIT PACKAGE for each single unit of issue: A container in direct contact with and enclosing the product along with any required protective materials(s)(e.g. item is wrapped in neutral paper, polyethylene foam cushion wrapped, sealed in a waterproof bag, and placed in a fiberboard box).
 - (ii) Unit Package Exterior Size/Weight of Unit Package with contents: ___ x Width____ x Depth ____(expressed in inches)/Weight expressed in _____ pounds (2) Shipping Container: (i) Exterior Size of SHIPPING CONTAINER AND CONTENTS THEREIN: Length, ____ x Width, ___ x Height,____ (expressed in feet and inches) (ii) Number of unit packages per shipping container _____ each (iii) Gross weight of Shipping container and contents _____ Lbs. (3) Unitized Loads: (i) Is the Load palletized, skidded, or some other platform device used as a base for handling and transporting as a single entity. Yes [] No []; describe: ___ (ii) Number of Shipping containers per pallet/skid ___ each. (iii) Weight of empty pallet, skid, platform, dolly, other device used as a base for handling and transporting materials _____ Lbs (iv) Size of Unit Load(pallet/skid including shipping container(s)assembled for handling and transportation as a single entity: Length, ____ x Width, ___ x Height,___ (expressed in feet and inches) (v) Gross Weight of Unit Load _____ Lbs;

| CONTINUATION CHEET | Reference No. of Document Being Continued | | | Page 49 of 49 |
|--|---|---------|----------|----------------|
| CONTINUATION SHEET | PIIN/SIIN W56HZV-04-D-0211 | MOD/AMD | | |
| Name of Offeror or Contractor: SOLTAM SYST | TEMS LTD. | | | |
| SECTION J - LIST OF ATTACHMENTS | | | | |
| List of | | | Number | |
| Addenda | Title | Date | of Pages | Transmitted By |

001

ELECTRONIC IMAGE

Attachment 001

EPA ATTACHMENT